DEFENSE LOGISTICS AGENCY (DLA) COLUMBUS



COOPERATIVE TIRE QUALIFICATION PROGRAM (CTQP) COOPERATIVE APPROVED TIRE LIST (CATL) CATL-1922

FOR US GOVERNMENT PURCHASE OF:

Non-Military: Passenger Car Tires, Pursuit and Emergency High Speed Tires, Light Truck Tires, Truck/Bus Tires (New & Retread), & Off Road Severe Application Tires (ORSA)

Military: Light, Medium and Heavy Tactical Truck and Trailer Tires

This CATL-1922, revised SEPTEMBER 2021, replaces all previous versions.

COOPERATIVE APPROVED TIRE LIST (CATL) OF PRODUCTS QUALIFIED UNDER ASTM STANDARD F1922 AND ADMINISTRATIVE MANUAL CTQP-AM-1922 FOR TIRES, PNEUMATIC, VEHICULAR (HIGHWAY AND SPECIAL APPLICATIONS) (NEW AND RETREADED)

The Defense Logistics Agency (DLA) Land and Maritime (L&M) Strategic Acquisition Programs Directorate (SAPD), that manages the Tires Successor Initiative (TSI) requirements contract in support of DLA managed aircraft and ground tires, and the Naval Supply Systems Command Weapon System Support (NAVSUP-WSS) who manages the Navy Tires Performance Based Logistics Successor (TPS) contract in support of Navy managed aircraft tires, will be consolidated into one requirements contract that will be known as the Global Tires Program (GTP). The GTP will provide tire support for the Air Force, Army, Coast Guard, Marines, Navy and Foreign Military Sales (FMS). The Government will pursue an acquisition strategy by establishing Vendor Long Term Contracts (LTCs) or Vendor Indefinite Delivery Purchase Orders (IDPOs), hereby referred to as Vendor LTCs, with Original Equipment Manufacturers (OEMs) and dealers for tires. The acquisition strategy requires the GTP Integrator (SAIC) to utilize the DLA L&M established Vendor LTCs for its supply of tires for supply chain management and to provide responsive global supply support to military customers.

The GTP Integrator (SAIC), the Government and industry counterparts will be working together to support DLA's military customers by providing aircraft and ground tire support. The GTP Integrator (SAIC) and LTC Vendor(s) are required to meet all terms and conditions in their respective contract(s) and shall put forth its best efforts and at all times deal in good faith with one another in executing GTP support. The GTP Integrator (SAIC) is required to utilize the Government established Vendor LTCs for the GTP Integrator's inventory / replenishment of new and repairable tires. The LTC Vendor(s) shall fill and deliver orders to the GTP Integrator (SAIC).

The Cooperative Tire Qualification Program (CTQP) is administered by Ground Vehicle Systems Center with DLA oversight, and is limited in scope to tire groups that include a DOD ground vehicle tire application. The Tank Automotive Research Development and Engineering Center (Ground Vehicle Systems Center) is the Engineering Support Agency (ESA) for DOD ground vehicle tires.

Address: Detroit Arsenal US Army AFC-CCDC-SIE-ES-PE/Q-SPECSYS-TIRES 6501 E. 11 Mile Rd. BLDG 200A 2nd Floor West MS: 268 Warren, MI 48397-5000

The DLA Defense Supply Center Columbus (DSCC) has overall management responsibility.

Ground Vehicle Systems Center has technical responsibilities which include test site and test plan approval, review and approval of test results, and notification to DLA of qualifications/changes.

Ground Vehicle Systems Center updates and publishes via the internet CATL 1922 and 1923 lists as directed by DLA

This approved tire list has been updated by Ground Vehicle Systems Center as required by Defense Logistics Agency (DLA). It is prepared for Group 1, passenger car tires, Group 2, light truck tires, Group 3, medium and heavy truck/bus tires, and Special Application tires (see Chapter II.B for explanations of each group). Tires listed in this CATL have been tested and/or approved for procurement by U.S. Federal, State and Local Government agencies. This list is based on the results of Qualification Testing as prescribed in ASTM standard F1922 and accompanying Administrative Manual CTQP-AM-1922, issue in effect at qualification test run. This list is subject to change without

CATL-1922, SEPTEMBER 2021

notice and revisions or amendments will be issued as necessary. The inclusion of tires on this list does not release the supplier from compliance with the specification requirements for tires supplied to the government.

The Cooperative Tire Qualification Program (CTQP) is a voluntary program designed to help ensure tire quality and performance for Government agencies. There is no legal requirement or national government policy mandate for government agencies to use the CTQP or this CATL list when purchasing tires.

The process for tire approval is as follows:

 Tire manufacturer selects a test tire which meets the requirements for a DLA managed tire National Stock Number (NSN). Inclusion of multiple MODEL/BRAND DESIGNATIONs within a Group will continue.
 Tire manufacturer prepares and submits a detailed test plan conforming to ASTM F1922 to Ground Vehicle Systems Center for review and approval.

3. Tire manufacturer selects a Ground Vehicle Systems Center approved independent test facility or proposes an independent test facility for Ground Vehicle Systems Center review and approval.

4. Ground Vehicle Systems Center selects the reference tire.

5. Tire manufacturer contacts with the test facility to perform testing and notifies Ground Vehicle Systems Center of the test schedule at least 30 days in advance.

6. Test results are certified by the independent test facility and a copy of the test results/final report are sent directly to Ground Vehicle Systems Center.

7. Ground Vehicle Systems Center reviews test results/report and notifies the tire manufacturer of the approval or disapproval decision within 30 days.

8. If approved, Ground Vehicle Systems Center notifies DLA and SAIC to publish the updated CATL via the internet.

NOTES:

1. Since all tires produced by a particular manufacturer were not offered for testing, the omission of any tire from this CATL does not necessarily mean that the unlisted tire is either unsafe or inferior in quality.

2. CATL updates will now be published online within 10 days of tire approval.

3. All sizes and ply ratings for the tires models/brands shown in this CATL are acceptable with the exceptions of the Group 1, Pursuit and Emergency High Speed and Military Tactical retreads, which are qualified by size, brand designation, and/or vehicle application/mission.

4. With the exception of Pursuit and Emergency High Speed tires, tires tested in the CTQP program and listed as qualified in this CATL were tested for treadlife durability only and qualified at speeds of not more than 65 miles per hour for Passenger Car and Light Truck tires and not more than 55 miles per hour for Truck & Bus tires. CATL treadlife testing and qualification as listed does not does not certify or verify a specific tires ability to perform at higher rates of speed. For speed capabilities of tires refer to the manufacturers own recommendations and speed ratings as required by Federal Motor Vehicle Safety Standards.

TABLE OF CONTENTS

CHAPTER I – INTRODUCTION AND STANDARDS	7
I.A. INTRODUCTION	7
I.B. WHAT IS THE CTQP PROGRAM AND CATL LIST?	8
I.C. STANDARDS USED	8
CHART OF NAMES & STANDARDS	9
CHAPTER II - CA TL FORMAT, CODES & DEFINITIONS	10
II.A. FORMAT	10
II.B. TIRE GROUP DEFINITIONS	10
II.C. GOVERNMENT ITEM NUMBER DEFINITIONS	11
II.D. CODE DEFINITIONS	13
II.E. SPEED CATEGORY CODES	14
II.F. TREAD "CLASS" DEFINITIONS	15
"SAMPLE" CATL SECTION WITH DEFINITIONS"	16
CHAPTER III - USING THE CA TL WHEN PURCHASING TIRES	17
CHAPTER IV CATL-1922 LISTING OF APPROVED TIRE BRANDS	19
GROUP 1, PASSENGER CAR: NEW TIRES	20
BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS	20
CONTINENTAL TIRE	22
GENERAL TIRE	22
COOPER TIRE & RUBBER COMPANY	23
MASTERCRAFT BRANDS (MANUFACTURED BY COOPER):	23
MICKEY THOMPSON	23
DICK CEPEK	23
THE GOODYEAR TIRE & RUBBER COMPANY	24
GOODYEAR BRANDS:	24
KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):	26
MICHELIN NORTH AMERICA	27
BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):	27
MICHELIN BRANDS:	27
UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):	27
GROUP 1, PURSUIT & EMERGENCY HIGH SPEED	28
BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS	28
BRIDGESTONE BRANDS:	28
FIRESTONE BRANDS:	28
CONTINENTAL TIRE COMPANY	29

TABLE OF CONTENTS (Continued)

COOPER TIRE & RUBBER COMPANY	PAGE 30
THE GOODYEAR TIRE & RUBBER COMPANY	31
MICHELIN NORTH AMERICA	
BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):	32
MICHELIN BRANDS:	
UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):	32
GROUP 2, LIGHT TRUCK: NEW TIRES	33
BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED	33
BRIDGESTONE BRANDS:	33
FIRESTONE BRANDS:	33
CONTINENTAL:	34
COOPER BRANDS:	35
MASTERCRAFT BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):	
MICKEY THOMPSON	35
DICK CEPEK	36
	37
	38
GOODYEAR BRANDS (STEEL/STEEL CONSTRUCTION):	38
KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):	38
MICHELIN NORTH AMERICA	39
BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):	39
MICHELIN BRANDS:	39
UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):	39
SPECIALTY TIRES OF AMERICA INCORPORATED	40
GROUP 3, TRUCK & BUS: NEW TIRES	41
BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED	41
BRIDGESTONE RADIAL BRANDS:	41
FIRESTONE RADIAL BRANDS:	42
CONTINENTAL TIRE NORTH AMERICA BRANDS	43
GENERAL BRANDS:	43
CONTINENTAL BRANDS:	44
THE GOODYEAR TIRE & RUBBER COMPANY	45
GOODYEAR BRANDS	45
KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR)	48
DUNOLP (MANUFACTURED BY GOODYEAR)	48

TABLE OF CONTENTS (Continued)

MICHELIN NORTH AMERICA	49
BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):	49
MICHELIN BRANDS:	50
SPECIALTY TIRES OF AMERICA INCORPORATED	51
GROUP 3, TRUCK & BUS: RETREAD TIRES	52
BANDAG INCORPORATED	52
BANDAG PRECURE RETREAD METHOD:	52
THE GOODYEAR TIRE & RUBBER COMPANY: RETREAD DIVISION	53
GOODYEAR PRECURE RETREAD METHOD:	53
GOODYEAR ULTIMA PRECURE RETREAD METHOD:	53
MICHELIN NORTH AMERICA, INC., RETREAD PROCESS	54
MICHELIN PRECURE RETREAD METHOD:	54
MICHELIN MOLD-CURE RETREAD METHOD:	55
OLIVER RETREADS	56
SPECIAL APPLICATION TIRES: LT OFF ROAD SEVERE APPLICATION (ORSA)	57
BRIDGESTONE/FIRESTONE (USA) INCORPORATED	57
APPENDIX A: CATL NUMBERS, ADDRESSES & TELEPHONE NUMBERS	58
ASSIGNED CATL NUMBERS	58
ADDRESSES & TELEPHONE NUMBERS	59

CHAPTER I – INTRODUCTION AND STANDARDS

I.A. INTRODUCTION

1. On the surface the CTQP program and CATL 1922 appear to be difficult to use. But using the CTQP program and CATL when making tire purchases can be easier if you understand what the CTQP and CATL are, how the CATL is formatted, and what the various codes in the CATL signify.

2. These instructions are designed to explain how to use the CTQP program and this CATL list when purchasing tires.

3. Because specific agency procurement guidelines dictate the methods in which government agencies procure tires the recommendations provided in this CATL are only suggestions on how you may use the CATL. When purchasing tires your specific procurement guidelines or rules always take precedence.

I.B. WHAT IS THE CTQP PROGRAM AND CATL LIST?

1. Before using the CATL and CTQP to make tire purchases, the government buyer should understand what the CATL and CTQP are. The following paragraphs help explain them.

2. What exactly is the CTQP program? Technically the letters "CTQP" is an acronym, which stands for "Cooperative Tire Qualification Program." But in simple terms it's a program, which was developed to replace the past Federal Tire Program.

3. For decades the Government would test and qualify tires for government purchase and tires that passed the tests were added to a list called the Qualified Products List (QPL). This list was used by many government agencies to help them make smart tire purchases. Because of streamlining and Acquisition Reform efforts, the Federal Tire Qualification Program was discontinued in January 1997 and many Federal or Military tire standards were deemed obsolete. However, because tires are usually one of the highest maintenance cost for vehicle fleets (typically only second to fuel), the U.S. Army saw a need and benefit to continue a modified program. As a result the CTQP program was developed. This new program is similar to the past program except that it is administered via contract using commercial standards.

CHAPTER I – INTRODUCTION AND STANDARDS (continued)

I.B. WHAT IS THE CTQP PROGRAM AND CATL LIST?

4. What is this CATL list? The letters "CATL" are an acronym that stands for "Cooperative Approved Tire List." Basically the CATL is nothing more than an approved list of tires and manufacturers that have passed testing and/or technical reviews to certain standards.

5. This CATL document is published for Highway type tires, some special application type tires and military tactical retread tires.

6. Including this CATL document, there are many other elements, which make up the CTQP Program such as test standards, administrative guidelines and a Cooperative Plant Quality Certification (CPQC) program for retreaders. The CTQP also has separate standards, guidelines and a different CATL available for Low Speed, Off Highway type tires.

I.C. STANDARDS USED

1. To become qualified in the CTQP and listed in this CATL-1 922 for highway type tires, manufacturers products must be tested to meet or exceed the following standards:

- (a) Passenger Car, Light Truck, Truck/Bus and Severe Application Tires: ASTM Standard F1 922, Test Method for Tires Pneumatic, Vehicular, Highway.
- (b)Pursuit, Emergency & High Speed Tires: ASTM Standard F1 922, Test Method for Tires Pneumatic, Vehicular, Highway which requires tests and certification to ECE Regulation 324 & SAE J1561, Laboratory Speed Test Procedures for Passenger Car Tires.
- (c) Retreads: The retread process must pass on-vehicle tests using ASTM Standard F1 922 (mentioned above). In addition to testing, individual retread plants/facilities must also be inspected and certified annually, to meet the quality requirements of CTQP-441, Administrator's Approval and Requirements Manual.

2. In 1998, the standards used for the CTQP program were officially approved by the American Society of Testing and Materials (ASTM). A chart showing the names and standards used for the CTQP program is shown on the next page. When referencing the CTQP program in contract solicitations use the names and standards indicated.

CHART OF NAMES	& STANDARDS
-----------------------	-------------

	CHART OF NAMES & STANDARDS NAMES & STANDARDS
NA	MES USED:
>	CTQP – Cooperative Tire Qualification Program
>	CATL – Cooperative Approved Tire List
>	CPQC – Cooperative Plant Qualification Certification
ST	ANDARDS FOR HIGHWAY TIRES
>	ASTM Standard F1922, Test Method – for Tires, Pneumatic, Vehicular, Highway
>	CTQP-AM-1922, Administrator's Approval and Requirements Manual for Tires, Pneumatic, Vehicular, Highway
>	CATL-1922, Cooperative Approved Tire List (CATL) for Tires, Pneumatic, Vehicular Highway
TE	ST STANDARDS USED FOR MILITARY
RE	TREADS:
>	Latest Version of Society of Automotive Engineers (SAE), Surface Vehicle Recommended Practice, SAE J2014
QL	IALITY STANDARDS USED FOR ALL RETREADS
(M	ILITARY & NONMILITARY):
>	CTQP-441 for Tires, Pneumatic, Retread and Repaired. This standard is used to inspect and certify retread facilities.
>	Retread products must also pass the applicable road test using one of the test standards mentioned

****Notes:**

(1) ASTM Standards may be ordered from:

American Society of Testing and Materials (ASTM) 100 Bar Harbor Drive, West Conshohocken, PA 19428-2959 PHONE: 610-832-9500

(2) CATL Publications are available on the web at:

https://www.purchaseplace.com/domino/html/tsi/tsiweb.nsf/Catlb?OpenForm

CHAPTER II – CATL FORMAT, CODES & DEFINITIONS

II.A. FORMAT

1. The CATL is formatted and sorted by tire group first, manufacturer or brand name owner second (alphabetically), then in sequence by assigned government item numbers and specific tire brand names. Other information listed are the qualified production points, test qualification reference numbers (identifies the specific test), qualification expiration dates, tread class and tire codes. Also in Appendix A you will find a complete list of manufacturers, retreaders or brand name owners addresses, telephone numbers and assigned CATL numbers.

2. This section helps explain the various groups, codes and reference numbers. As you are going through the definitions that follow, please refer to page 14 which shows a sample illustration page from a section of the CATL.

II.B. TIRE GROUP DEFINITIONS

1. Because there are a wide variety of tire sizes, and tire size designations, from one manufacturer to another, and tire size designations are constantly changing, most tires in this CATL list do not include the specific tire sizes. Instead, tires in this CATL are listed by group. These tire groups are based on generic vehicle applications. To properly use this CATL list to purchase replacement tires you must first determine what vehicle group your tires will be applied to.

2. There are three basic groups of common type tires applications and two groups of special application type tires. These groups are listed below with more detailed explanations that follow:

(a) Group 1, Passenger Car Tires and Pursuit/Emergency High Speed Tires

(1) These tires include common passenger car tires. You can usually (but not always) identify tires of this group by looking for the letter "P" at the beginning of the tire size that is imprinted on the sidewall of the tire. An example of a tire size designation for this type of tire would be P205/75R15. Some common applications for these tires would be sedans and mini-vans.

(2) This group also includes a section for Pursuit/Emergency, High Speed Tires that are listed by specific tire size, speed rating code and brand name. Pursuit/Emergency, High Speed Tires would be applied to vehicles such as police cars, ambulances and other high speed emergency vehicles. Examples of these type of tire sizes would be P225/60R15(V) {V is the speed rating] or 225/60ZR1 6 {Z is the speed rating].

CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

II.B. TIRE GROUP DEFINITIONS (continued)

(a) Group 2, Light Truck Tires

This group is your common Light Truck tires. You can usually (but not always) identify tires of this group by looking for the letter "LT" at the beginning of the tire size that is imprinted on the sidewall of the tire. However many older tire designs of bias construction do not include an "LT" designation in the tire size. An example of a radial tire size designation for this type of tire would be LT235/85R16. An example of a bias tire size would be 7.50-16. Common applications for these tires would be Pick-Up Trucks, Sports Utility Vehicles and some Trailers.

(b) Group 3, Truck & Bus Tires

These tires include medium and heavy truck, bus and trailer tires. Unlike Passenger Car and Light Truck tires, these tires do not have a letter designation at the beginning of the tire size. Examples of a tire size designations for these type tires would be 11R22.5 {for radial] and 10.00-20 {for bias]. Some common applications for these type tires would be Buses, Semi-Trucks/Trailers, Delivery Vans, Cargo Trucks, and non-tactical Military Supply Trucks and Troop Carriers.

(c) Special Application: Off-Road, Severe Application (ORSA) Tires These tires are Special Application, Light Truck tires, which are used in severe off-road conditions. Some vehicle applications for these tires would be Pick-Up Trucks and Sport Utility Vehicles used by the U. S. Border Patrol and U.S. Forestry Service.

II.C. GOVERNMENT ITEM NUMBER DEFINITIONS

All tires listed in this CATL have been assigned Government Item numbers. These numbers can be used to help identify a specific tire easier. More importantly, these numbers have codes that provide detailed information and an identity for each tire brand listed. An example, with explanations of each code of an assigned Government Item Number follows on the next page.

CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

11.C. GOVERNMENT ITEM NUMBER DEFINITIONS (continued)

Example Government Item Number: X3.2.12RA/RB

- The first position, "X" is the tire style. There are two styles; X which is a new tire or Y which is a retread tire. In this example this would be a new tire.
- The second position, "3" is the tire group. This example is a Group 3, Truck and Bus Tire. 1 is Passenger Car; 2 is Light Truck; 3 is Truck/Bus; "ORSA" is Off-Road, Severe Application; and "MIL" is Military Tactical application.
- The third position, "2" is the manufacturers assigned CATL number. All manufacturers are assigned CATL numbers and in this example the manufacturer of the tire would be Bridgestone/Firestone (U.S.A.) Incorporated. See the list in Appendix A, which shows all manufacturers assigned CATL numbers.
- The fourth position, "12" is a sequence number assigned to the specific tire brand name when it was listed. In this example this tire is the 12th Bridgestone/Firestone Inc. tire that was listed for Group 3.
- The fifth and six position, "RA/RB" identifies the construction of the tire and whether it is tube or tubeless. In this example the tire is of radial construction and is available as either tube or tubeless. The following explain what these style codes stand for:
 - > RA = Radial, Tubeless.
 - > RB = Radial, Tube Type
 - > BA = Bias, Tubeless.
 - > BB = Bias, Tube Type
 - > RA/RB = Radial, Tubeless or Tube Type
 - >BA/BB = Bias, Tubeless or Tube Type

CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

II.D. CODE DEFINITIONS

The CATL shows a column of additional codes assigned to each tire listed. These codes provide more details about the tire construction, usage information and vehicle/axle applications. Explanation of these codes follow:

CODES

- AP = All Position (NOTE: Some o/o tires are designated by the manufacturer as All Position. Before placing o/o tire designated "DA" on the steer position, consult the tire manufacturer).
- DA = Drive Axle only (NOTE: When this code is used in the Light Truck tire area, keep in mind that if you are placing these tires on a 4X4, "DA" does not mean that they can be placed on all axle positions).
- LP = Low Profile
- EHS = Emergency High Speed

EMT = *Extended Mobility Tire*

PS = *Polyester/Steel construction* (*Body Cord/Belt Cord*)

PSA = Polyester/Steel/Arimid construction

- *PSN* = *Polyester/Steel/Nylon construction* (*Body Cord/Belt Cord/Breakers*)
- $N = Nylon \ construction \ (Body \ Cord)$
- RSN = Rayon construction (Body Cord)
- ND = Non Directional Tread (usually military design)
- NRFSR = Not Recommended for Secondary Roads
- SR = Speed Rating (see next page for speed code definitions)
- *SS* = *Steel/Steel construction* (*Body Cord/Belt Cord*)
- *STC* = *Snow Traction Capability*
- TO = Trailers Only position

CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

II.E. SPEED CATEGORY CODES

In addition to the normal tire codes, Pursuit and Emergency, High Speed Tires also have a Speed Category Code Assigned to them which tells the speed rating of the tires. Explanation of these codes follow:

SPEED SYMBOL	SPEED CATEGORY
S	112 MPH (180 KM/H)
Τ	118 MPH (190 KM/H)
$oldsymbol{U}$	124 MPH (200 KM/H)
H	130 MPH (210 KM/H)
V	149 MPH (240 KM/H)
W	168 MPH (2 70 KM/H)
Y	186 MPH (300 KM/H)
Ζ	See note below.

NOTES:

- > Speed category codes are assigned to a tire and denotes the maximum speed for which the use of the tire is rated (all EHS or PEHS coded tires are speed rated).
- > Open ended speed category "Z": For tires having a maximum speed capability above 149 MPH, a "Z" may appear in the size designation. For tires having a maximum speed capability above 186 MPH, a "ZR" must appear in the size designation. Consult the tire manufacturer for maximum speed capability of the particular tire when there is no service description.

II.F. TREAD "CLASS" DEFINITIONS

The CATL also shows a column of tread class codes assigned to each tire listed. These tread class codes provide details about the tread design and how the tire should be used based on its tread design. Explanations of these tread class codes are on the next page. For more detailed tread class descriptions please refer to ASTM Standard F1 922 and Administrator Manual CTQP-AM 1922.

*CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

II.F. TREAD "CLASS" DEFINITIONS (continued)

CLASS

R/T =	RIB TREAD
A/S =	ALL SEASON (applies to Passenger Car and Light Truck tires only)
<i>S/T</i> =	SNOW TREAD (see note below)
A/T =	ALL TERRAIN
<i>O/O</i> =	ON/OFF ROAD
D/A =	DRIVE AXLE HIGHWAY TRACTION TREAD
<i>T/O</i> =	TRAILERS ONLY
<i>S/O</i> =	STEER ONLY
A/T/S =	ALL TERRAIN SEVERE APPLICATION
<i>O/O/S</i> =	ON/OFF ROAD SEVERE APPLICATION
M/S =	MUD AND SNOW (applies to Passenger Car and Light Truck tires only)
NOTE: To hel	p describe the tire tread better, some tires may be identified further with a

NOTE: To help describe the tire tread better, some tires may be identified further with "(rib)" or "(lug)" designation next to the tread code.


NOTE: Some newer tires are designed for use in severe snow conditions and are marked on at least one sidewall with the letters "M" and "S" (e.g., MS, M/S, M&S, M+S, etc.) plus have a pictograph of a mountain with a snowflake. If you need more information on tires designed for severe snow conditions contact the CTQP Administrator (at (810) 677-5745) or refer to Rubber Manufacturers Association, Tire Information Service Bulletin, Volume 37, Number 2, February 1999 and titled "RMA Definition for Passenger and Light Truck Tires for Use in Severe Snow Conditions." An example of the mountain/snowflake is shown below.



Severe winter traction icon

"SAMPLE" CATL SECTION WITH DEFINITIONS"

NOTE: Each section is lettered and an explanation is provided for each letter.



SAMPLE CATL PAGE DEFINITIONS

- A. This is the tire group. In this instance, this section list Group 1, Passenger Car Tires See pages 10 & 11 for detailed group definitions.
- B. This is the name of the tire manufacturer, retreader or brand owner of all the tires listed below it.
- C. The first bullet tells what facilities may produce the tires. The second bullet is a qualification test reference number that the tires were qualified with and the third bullet indicates when the qualification for tires listed below it will expire.
- D. This is the Government Item Number: This is a number assigned to each tire once they are qualified. See pages 11 & 12 for a breakdown of what this number means.
- E. These are the brand designations or names that the manufacturer has given the tires.
- F. This is the tread class code. Refer to pages 14 & 15 for definitions of these codes.
- G. This is the tire code which tells the tire construction and where and how the tire may be used. Refer to page 13 for definitions of these codes.

CHAPTER III - USING THE CATL WHEN PURCHASING TIRES

Your specific procurement guidelines will dictate the specific contract language you use when purchasing tires. However the following is a step-by-step example of how you may use the CATL when purchasing tires.

STEP 1, IDENTIFY WHAT YOU NEED: Identify the tire group you need to buy by looking at your vehicle applications and the tires you currently have. Provide a good description of the type and size for the tires you want to purchase in your contract solicitations. It's also recommended that you identify vehicle application info in your contracts when possible, as most manufacturers will match an appropriate tire for the application. When using the CATL to make purchases, make sure you identify the tire group, codes and tread classes. For example if you were purchasing replacement tires for a fleet of 1997 Ford Explorer Vehicles, that were originally equipped with radial, LT235/85R16 tire size, Load Range D, All Season, Rib type tread you could use the following description:

EXAMPLE: Radial, LT235/85R16, Load Range D, for application on 1997, All Wheel Drive, Ford Explorer. Tires should be Group 2, Light Truck tires, All Season, Rib Tread class, and All Position as defined by the latest version of CATL 1922.

STEP 2, REQUIRE CATL QUALIFICATION: Require in your contract solicitation that the prospective tire manufacturer or supplier be CATL qualified and that the tire brand be listed in the CATL or that the manufacturer/supplier provide proof of CA TL qualification with a Qualification Certification Form (these forms are issued to all manufacturers upon successful completion of qualification testing). Example language you could use is as follows:

EXAMPLE: Prospective contractors and their tire brands submitted under this solicitation must be qualified and listed in CATL 1922, or provide a Qualification Certification Form signed by the CATL program Administrator.

STEP 3, PUT IT ALL TOGETHER: A complete example of contract language for purchasing new tires could be as follows:

EXAMPLE: Tires are to be radial, LT235/85R16, Load Range D, for application on 1997 All Wheel Drive Ford Explorer. Tires should be Group 2, Light Truck tires, All Season, Rib Tread class, and All Position as defined by CATL 1922. The prospective contractor(s) and their tire brand(s) submitted under this solicitation must be qualified and listed in CATL 1922, or provide a Qualification Certification Form signed by the CATL program Administrator.

CHAPTER III - USING THE CATL WHEN PURCHASING TIRES (continued)

STEP 4, FOR RETREADS: For the obvious environmental and cost advantages, it's suggested that retreads be used to the maximum extent possible. Retread processes are also tested and listed in the CATL. However because quality may vary from one retread facility or franchise to another, each retread facility is also required to be inspected and certified annually to certain quality control standards (CTQP-441). Therefore the retreaders ' process should not only be listed in the CA TL but also the specific retread plant/facility should be able to provide a Cooperative Plant Quality Certification (CPQC).

A complete example of contract language for purchasing retread services could be as follows:

EXAMPLE: Retread services for radial, LT235/85R16, Load Range D, for application on 1997 All Wheel Drive Ford Explorer. Tires will be retreaded for Group 2, Light Truck tires, All Season, Rib Tread class, and All Position as defined by the latest version of CATL 1922. The prospective retread contractor process brand name(s) must be qualified and listed in CATL 1922, or the retreader may supply a Qualification Certification Form signed by the CATL program Administrator. Prospective retread contractors must also provide a current copy of a Cooperative Plant Quality Certification (CPQC) which certifies compliance with CTQP-441 for any and all retread facilities or plants, which will provide retread services under this contract.

STEP 5, VERIFY QUALIFICATIONS AND AWARD THE CONTRACT: Verify the contractor(s) and tire(s) qualifications by checking what is proposed to the CATL list. For retreaders make sure they also supply a copy of CPQC facility certification. If everything is in order award the contract.

CHAPTER IV CATL-1922 LISTING OF APPROVED TIRE BRANDS

Refer to Appendix A for a complete list of manufacturers, retreaders and brand name owners addresses, telephone numbers and manufacturers assigned CATL numbers.

GROUP 1, PASSENGER CAR: NEW TIRES

BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS

- TEST QUALIFICATION REFERENCE: NATC PROJECT # 22282
- QUALIFICATION EXPIRATION DATE: 1 OCTOBER, 2023
- QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING
 FACILITIES

BRIDGESTONE BRANDS:

Government Item Model Brand

No.	Designation	Class	Codes
X1.2.2	Dueler H/L Alenza Plus	A/S	PSN, AP
X1.2.3	Dueler AT-RHS	A/S	PSN, AP
X1.2.4	Dueler H/L 400	A/S	PSN, AP
X1.2.5	Dueler H/L 422 Ecopia	A/S	PSN, AP
X1.2.6	Dueler H/L 422 Plus	A/S	PSN, AP
X1.2.9	Dueler HT 684 II	A/S	PSN, AP
X1.2.10	Dueler HT 685	A/S	PSN, AP
X1.2.11	Dueler AT Revo 3	A/S, A/T	PSN, AP
X1.2.12	Turanza EL400	A/S, M/S	PSN, AP
X1.2.14	Turanza Serenity Plus	A/S, M/S	PSN, AP
X1.2.15	Turanza Serenity Plus	A/S, M/S	PSN, AP, LP
X1.2.16	Driveguard	A/S, M/S	PSN, AP
X1.2.18	Potenza RE050A	A/S	PSN, AP, LP, SR(W)
X1.2.19	Potenza RE-71R	A/S	PSN, AP, LP, SR(W)
X1.2.21	Potenza RE 980 AS	A/S	PSN, AP, LP, SR(W)
X1.2.24	Blizzak LM-32	S/T	PSN, AP, LP, SR(W), STC (DIR)
X1.2.25	Blizzak W965	S/T	PSN, AP, LP, STC
X1.2.26	Blizzak WS80	S/T	PSN, AP, LP, STC (DIR)
X1.2.27	Blizzak WS80	S/T	PSN, AP, STC (DIR)
X1.2.28	Blizzak DM-V2	S/T	PSN, AP, STC (DIR)
X1.2.29	Blizzak DM-V2	S/T	PSN, AP, LP, STC (DIR)

BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS

- TEST QUALIFICATION REFERENCE: NATC PROJECT # 22282
- QUALIFICATION EXPIRATION DATE: 1 OCTOBER, 2023
- QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES

FIRESTONE BRANDS:

Government Item	Model Brand		
No.	Designation	Class	Codes
X1.2.30	Destination AT	A/T	PSN, AP
X1.2.31	Destination LE 2	A/S	PSN, AP
X1.2.32	Destination LE 2	A/S	PSN, AP, LP
X1.2.33	Destination M/T 2	A/T/S	PSN, AP
X1.2.34	Champion Fuel Fighter	A/S	PSN, AP
X1.2.35	All Season	A/S	PSN, AP
X1.2.37	Firehawk All Season	A/S	PSN, AP
X1.2.38	Firehawk All Season	A/S	PSN, AP, LP
X1.2.39	Firehawk All Season	A/S	PSN, AP, LP, SR (W)
X1.2.40	Firehawk Indy 500	A/S	PSN, AP, LP, SR(W)
X1.2.41	Transforce AT 2	A/T	PSN, AP
X1.2.42	Transforce HT	A/S	PSN, AP
X1.2.43	Transforce HT 2	A/S	PSN, AP
X1.2.44	Winterforce 2	S/T	PSN, AP, STC (DIR)
X1.2.45	Winterforce 2	S/T	PSN, AP, LP, STC (DIR)
X1.2.46	Winterforce CUV	S/T	PSN, AP, STC (DIR)
X1.2.47	Winterforce LT	S/T	PSN, AP, STC (DIR)

CONTINENTAL TIRE NORTH AMERICA

- QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC PROJECT # 22405
- QUALIFICATION EXPIRATION DATE: 18 JUNE, 2026

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
CONTINENTAL BRAN	DS		
X.1.5.1	ProContact TX	a/s	PSN,AP
X.1.5.2	ProContact RX	a/s	PSN,AP
X.1.5.3	ContiProContact	a/s	PSN,AP
X.1.5.4	TrueContact Tour	a/s	PSN,AP
X.1.5.5	PureContact LS	a/s	PSN,AP
X.1.5.6	ExremeContact DWS06 PLUS	a/s	PSN,AP,LP
X.1.5.7	VikingContact 7	s/t, m/s	PSN,AP,STC
X.1.5.8	CrossContact LX25	a/s	PSN,AP
X.1.5.9	CrossContact LX	a/s	PSN,AP
X.1.5.10	CrossContact LX Sport	a/s	PSN,AP
X.1.5.11	TerrainContact A/T	a/t	PSN,AP
X.1.5.17	TerrainContact H/T	a/s	PSN,AP
GENERAL BRANDS			
X.1.5.12	Grabber APT	a/s, m/s	PSN, AP,STC
X.1.5.13	Altimax RT43	a/s	PSN, AP
X.1.5.14	Grabber HTS	a/s	PSN, AP
X.1.5.15	Grabber HTS60	a/s	PSN, AP
X.1.5.16	GMAX AS-05	a/s	PSN, AP, LP
X.1.5.18	AltiMAX 365AW	m/s a/s	PSN,AP,STC

COOPER TIRE & RUBBER COMPANY

• QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE MANUFACTURING FACILITIES

• TEST QUALIFICATION REFERENCE: NATC PROJECT # 22286

• QUALIFICATION EXPIRATION DATE: 8 JANUARY, 2025

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	
COOPER BRANDS:	DEDICIVITION		CODES
X1.3.6	"Cobra Radial GT"	a/s, m/s	AP,PS,PSN
X.1.3.8	"Discoverer H/T Plus"	a/s, m/s	AP, PSN
X.1.3.14	"CS5 Ultra Touring"	a/s, m/s	AP, PSN
X.1.3.15	"CS5 Grand Touring"	a/s, m/s	AP, PSN
X.1.3.17	"Discoverer SRX"	a/s, m/s	AP, PSN
X.1.3.19	"Trendsetter SE"	a/s, m/s	AP,PS, PSN
X.1.3.22	"Evolution H/T"	a/s, m/s	AP, PSN
X.1.3.23	"Discoverer AT3 4S"	a/s, a/t, m/s, s/t	AP, PSN, STC
X.1.3.24	"Evolution Tour"	a/s, m/s	AP, PSN
X.1.3.25	"Evolution Winter"	s/t, m/s	AP, PSN, STC
X.1.3.26	"Discoverer EnduraMax"	a/s, a/t, m/s, s/t	AP, PSN, STC
X.1.3.27	"Discoverer Snow Claw"	s/t, m/s	AP, PSN, STC
X.1.3.28	"Discoverer Rugged Trek"	a/s, a/t, m/s, s/t	AP, PSN, STC
X.1.3.29	"Endeavor"	a/s, m/s	AP, PSN
X.1.3.30	"Endeavor Plus"	a/s, m/s	AP, PSN
/		alo, 1110	
MASTERCRAFT	BRANDS (MANUFACTURED BY CO	OOPER):	
X1.29.6	"AVENGER G/T"	a/s, m/s	AP, PS,PSN
X1.29.7	"COURSER HTR PLUS"	a/s, m/s	AP, PSN
X1.29.8	"COURSER HSX TOUR"	a/s, m/s	AP, PSN
X1.29.11	"A/S IV"	a/s, m/s	AP, PS, PSN
X1.29.14	"LSR GRAND TOURING"	a/s, m/s	AP, PSN
X1.29.15	"GLACIER TREX"	s/t, m/s	AP, PS, PSN, STC
X1.29.17	"STRATUS HT"	a/s, m/s	AP,PSN
X1.29.18	"STRATUS AP"	a/s, a/t, m/s	AP,PSN
X1.29.19	"COURSER AXT2"	a/s, a/t, m/s	AP,PSN
X1.29.20	Glacier MSR	s/t, m/s	AP, PSN, STC
MICKEV THOM	PSON BRANDS (MANUFACTURED	RV COOPER).	
X1.31.1		a/t, a/s, m/s	AP, PSN
A1.51.1	"Deegan 38 All-Terrain"	a/t, a/s, 111/s	AP, P5N
	ANDS (MANUFACTURED BY COO)	·	AD DOM
X1.32.1	"Trail Country"	a/t, a/s, m/s	AP, PSN

THE GOODYEAR TIRE & RUBBER COMPANY

♦ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES

CODES

- TEST QUALIFICATION REFERENCE: High Q Inc. 19X504-U99A
- QUALIFICATION EXPIRATION DATE: 29 APRIL 2026

GOVERNMENT	MODEL/BRAND	
ITEM NO.	DESIGNATION	CLASS

GOODYEAR BRANDS: (MANUFACTURED BY GOODYEAR)

X1.6.1 X1.6.2	ASSURANCE ALL-SEASON ASSURANCE COMFORTDRIVE	M/S, A/S, R/T (RIB) M/S, A/S, R/T (RIB)	PS, AP, STC PS, AP, STC
X1.6.3	ASSURANCE COMFORTRED TOURING	M/S, A/S, R/T (RIB)	PSN, AP, STC
X1.6.4	ASSURANCE CS FUEL MAX	M/S, A/S, R/T (RIB)	PS or PSN, AP, STC
X1.6.5	ASSURANCE CS TRIPLETRED A-S	M/S, A/S, R/T (RIB)	PSN, AP, STC (DIR)
X1.6.7	ASSURANCE FINESSE	M/S, A/S, R/T (RIB)	PS, AP, STC
X1.6.6	ASSURANCE FUEL MAX	M/S, A/S, R/T (RIB)	PS, AP, STC
X1.6.6	ASSURANCE MAXLIFE	M/S, A/S, R/T (RIB)	PSN, AP, STC
X1.6.8	ASSURANCE WEATHERREADY	M/S, A/S, R/T (RIB)	PSN, AP, STC
X1.6.9	CONVENIENCE SPARE, BIAS	R/T (RIB)	N
X1.6.10	CONVENIENCE SPARE, RADIAL	R/T (RIB)	N
X1.6.11	EAGLE F1 ASYMMETRIC	R/T (RIB)	PSN, AP
X1.6.12	EAGLE F1 ASYMMETRIC 2	R/T (RIB)	PSN, AP
X1.6.13	EAGLE F1 ASYMMETRIC 2 ROF	R/T (RIB)	EMT, RSN, AP
X1.6.14	EAGLE F1 ASYMMETRIC 3	R/T (RIB)	PSN, AP
X1.6.13	EAGLE F1 ASYMMETRIC 3 ROF	R/T (RIB)	EMT, RSN, AP
X1.6.15	EAGLE F1 ASYMMETRIC 3 SUV	R/T (RIB)	PSN, AP
X1.6.16	EAGLE F1 ASYMMETRIC A/S	M/S, A/S, R/T (RIB)	PS, AP, STC
X1.6.17	EAGLE F1 ASYMMETRIC A/S ROF	M/S, A/S, R/T (RIB)	PS, AP, STC
X1.6.18	EAGLE F1 ASYMMETRIC ROF	R/T (RIB)	EMT, RSN, AP
X1.6.19	EAGLE F1 ASYMMETRIC SUV	R/T (RIB)	PSN, AP
X1.6.20	EAGLE F1 ASYMMETRIC SUV AT	R/T (RIB)	PSN, AP
X1.6.21	EAGLE F1 GS D3	R/T (RIB)	PSN, AP (DIR)
X1.6.23	EAGLE F1 GS EMT	R/T (RIB)	EMT, RSN, AP (DIR)
X1.6.25	EAGLE F1 GS-2 EMT	R/T (RIB)	EMT, RSN, AP
X1.6.27	EAGLE F1 SUPER G:2 ROF	R/T (RIB)	EMT, RSN, AP
X1.6.28	EAGLE F1 SUPERCAR 3	R/T (RIB)	RSN,AP, SR(Y)
X1.6.29	EAGLE F1 SUPERCAR 3R	R/T (RIB)	RSN,AP, SR(Y)
X1.6.30	EAGLE F1 SUPERCAR EMT	R/T (RIB)	EMT, RSN, AP
X1.6.31	EAGLE GT II	M/S, A/S, R/T (RIB)	PSN, AP, STC
X1.6.32	EAGLE LS	M/S, A/S, R/T (RIB)	PS, AP, STC
X1.6.33	EAGLE LS-2	M/S, A/S, R/T (RIB)	PSN, AP, STC
X1.6.34	EAGLE LS2 ROF	M/S, A/S, R/T (RIB)	EMT, RSN, AP, STC
X1.6.35	EAGLE NCT 5 EMT	R/T (RIB)	EMT, RSN, AP
X1.6.36	EAGLE NCT 5 ROF	R/T (RIB)	EMT, RSN, AP
X1.6.37	EAGLE RS-A	M/S, A/S, R/T (RIB)	
X1.6.38	EAGLE RS-A EMT	M/S, A/S, R/T (RIB)	
X1.6.39	EAGLE RS-A2	M/S, A/S, R/T (RIB)	PSN, AP, STC

THE GOODYEAR TIRE & RUBBER COMPANY

- ♦ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: High Q Inc. 19X504-U99A
- QUALIFICATION EXPIRATION DATE: 29 APRIL 2026

QUALIFI	QUALIFICATION EXPIRATION DATE: 29 APRIL 2026							
GOVERNMEN ITEM NO.	T MODEL/BRAND DESIGNATION	CLASS	CODES					
GOODYEA	GOODYEAR BRANDS (MANUFACTURED BY GOODYEAR):							
X1.6.40	EAGLE SPORT ALL-SEASON	M/S, STC	PSN, AP, SR(H,V)					
X1.6.41	EAGLE SPORT ALL-SEASON ROF	M/S, STC	PSN, AP, SR(V)					
X1.6.42	EAGLE TOURING	M/S, STC	PSN, AP, SR(V,W)					
X1.6.43	EAGLE ULTRA GRIP (GW-2)	M/S, S/T (LUG)	PSN, AP, STC (DIR)					
X1.6.44	EAGLE ULTRA GRIP GW3	M/S, S/T (LUG)	PSN, AP, STC (DIR)					
71.0.11			EMT, RSN, AP, STC					
X1.6.45	EAGLE ULTRA GRIP GW3 ROF	M/S, S/T (LUG)	(DIR)					
X1.6.46	EFFICIENT GRIP	R/T (RIB)	PSN, AP, SR(W,Y,V)					
X1.6.47	EFFICIENT GRIP PERFORMANCE ROF	R/T (RIB)	PSN, AP, SR(W)					
X1.6.48	EFFICIENT GRIP ROF	R/T (RIB)	PSN, AP, SR(W,Y,V)					
X1.6.49	EXCELLENCE	R/T (RIB)	PSN, AP					
X1.6.50	EXCELLENCE ROF	R/T (RIB)	EMT, RSN, AP					
X1.6.51	FIERCE INSTINCT VR	R/T (RIB)	PSN, AP, STC, SR(V)					
X1.6.52	FIERCE INSTINCT ZR	R/T (RIB)	PSN, AP, STC, SR(W)					
X1.6.53	FORTERA HL	M/S, A/S, R/T (RIB)	PS, AP, STC					
X1.6.54	FORTERA SL	M/S, A/S, R/T (RIB)	AP, PSN, STC					
X1.6.55	INTEGRITY	M/S, A/S, R/T (RIB)	PS, AP, STC					
X1.6.56	ULTRA GRIP + SUV 4x4	M/S, S/T (LUG)	PSN, AP, STC					
X1.6.57	ULTRA GRIP 8 PERFORMANCE	M/S, S/T (LUG)	PSN, AP, SR(H,V)					
X1.6.58	ULTRA GRIP 8 PERFORMANCE ROF	M/S, S/T (LUG)	RSN, AP, SR(V)					
X1.6.59	ULTRA GRIP ICE	M/S, S/T (LUG)	PSN, AP, STC (DIR)					
X1.6.60	ULTRA GRIP ICE WRT	M/S, S/T (LUG)	PSN, AP, STC (DIR)					
X1.6.61	ULTRA GRIP PERF 2	M/S, S/T (LUG)	PSN, AP, STC (DIR) EMT, RSN, AP, STC					
X1.6.62	ULTRA GRIP SUV ROF	M/S, S/T (LUG)	(DIR)					
X1.6.63	ULTRA GRIP WINTER	M/S, S/T (LUG)	PS, AP, STC					
X1.6.76	WINTERCOMMAND	M/S, S/T (LUG)	PS, AP, STC					
X1.6.64	WRANGLER ALL-TERRAIN ADVENTURE	M/S, A/T	PSN,AP,STC					
X1.6.65	WRANGLER ARMORTRAC	M/S, A/S, A/T (LUG)	AP, PS, STC					
X1.6.66	WRANGLER AT/S	M/S, A/T, O/O (LUG)	PS, AP, STC					
X1.6.67	WRANGLER DURATRAC	M/S, A/T, O/O (LUG)	AP, PS, STC					
X1.6.68	WRANGLER FORTITUDE HT	M/S, A/T, R/T (RIB)	AP, PS, STC					
X1.6.69	WRANGLER HP	M/S, A/S, R/T (RIB)	PS, AP, STC					
X1.6.70	WRANGLER RADIAL	M/S, A/S (LUG)	PS, AP, STC					
X1.6.72	WRANGLER SILENT ARMOR	M/S, A/T, O/O (LUG)	PSN, AP, STC					
X1.6.73	WRANGLER SR-A	M/S, A/S, R/T (RIB)	PS, AP, STC					
X1.6.74	WRANGLER ST	M/S, A/S, R/T (RIB)	PS, AP, STC					
X1.6.75	WRANGLER TRAILRUNNER AT	M/S, A/T	AP, PS, STC					
X1.6.77	WRANGLER TERRITORY AT	M/S, A/T	AP, PS, STC					
X1.6.78	WRANGLER TERRITORY HT	M/S, A/T	AP, PS, STC					
X1.6.79	WRANGLER WORKHORSE AT	M/S, A/T	AP, PS, STC					

THE GOODYEAR TIRE & RUBBER COMPANY (continued) QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY AND KELLY-SPRINGFIELD MANUFACTURING FACILITIES ٠

TEST QUALIFICATION REFERENCE: High Q Inc. 19X504-U99A ٠

•	QUALIFICATION EXPI	RATION DATE: 29 A	PRIL 2026
001			

GOVERNMENT	MODEL/BRAND		
ITEM NO.	DESIGNATION	CLASS	CODES

KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):

X1.8.1	EDGE A/S	M/S, A/S (RIB)	PS, AP, STC
X1.8.2	EDGE AT	M/S, A/S (LUG)	PS, AP, STC
X1.8.3	EDGE HP	M/S, A/S (LUG)	PS, AP, STC, SR(V,W)
X1.8.4	EDGE HT	M/S, A/S (RIB)	PS, AP, STC
X1.8.5	WINTER ACCESS	M/S, A/S (LUG)	PS, AP, STC (DIR)

GROUP 1, PASSENGER CAR TIRES (continued) MICHELIN NORTH AMERICA

QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES •

OUALIFICATION EXPIRATION DATE: 4 March 2025

	TION EXPIRATION DATE: 4 March, 2025		
GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
BF GOODRICH B	RANDS (MANUFACTURED BY N	MICHELIN)	
X1.9.1	Premier Touring	a/s	PS, AP
X1.9.2	Advantage T/A	a/s	PS, AP
X1.9.3	Radial T/A Spec	a/s	PS, AP
X1.9.4	Traction T/A Spec	a/s	PS, AP
X1.9.5	g-Force KDW	r/t	PS, AP
X1.9.6	g-Force KDWS	a/s	PS, AP
X1.9.7	g-Force Sport	r/t	PS, AP
X1.9.8	g-Force Super Sport A/S	a/s	PS, AP
X1.9.9	Radial T/A	a/s	PS, AP
X1.9.10	Winter Slalom KSI	a/s, m/s (lug)	PS, AP
X1.9.11	TractionT/A	a/s	PS, AP
X1.9.12	Touring T/A	a/s	PS, AP
X1.9.13	Long Trail T/A Tour	a/s	PS, PSN, AP
X1.9.14	Radial Long Trail T/A	a/s	PS, PSN, AP
X1.9.15	Rugged Terrain T/A	a/s	PS, PSN, AP
X1.9.16	Rugged Trail T/A	a/s	PS, PSN, AP

QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES ٠

TEST QUALIFICATION REFERENCE: NATC Project #22221

QUALIFICATION EXPIRATION DATE: 30th October, 2022 •

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES			
MICHELIN BRANDS						
X1.9.17	Primacy MXV4	a/s, m/s	PS, PSN, AP			
X1.9.18	Primacy Alpin	m/s	PS, PSN, AP			
X1.9.19	Energy Saver A/S	a/s, ms	PS, PSN, AP			
X1.9.20	Pilot MXM4	a/s, ms	PS, PSN, AP			
X1.9.21	ENERGY LX4	a/s, m/s (rib)	PS, PSN, AP			
X1.9.22	X-ICE	m/s	PS, PSN, AP			
X1.9.23	PILOT ALPINE	m/s	PS, PSN, AP			
X1.9.24	Primacy MXM4	a/s	PS, PSN, AP			
X1.9.25	Premier A/S	a/s, ms	PS, PSN, AP			
X1.9.26	Defender	a/s	PS, PSN, AP			
X1.9.27	Defender XT	a/s	PS, PSN, AP			
X1.9.28	Premier LTX	a/s	PS, PSN, AP			
X1.9.29	Defender LTX	a/s	PS, PSN, AP			
X1.9.30	LTX AT2	a/s	PS, PSN, AP			
X1.9.31	LTX A/S	a/s	PS, PSN, AP			
X1.9.32	Latitude Tour	a/s	PS, PSN, AP			
X1.9.33	Latitude Tour HP	a/s	PS, PSN, AP			

QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES ٠

TEST QUALIFICATION REFERENCE: NATC Project #22312 •

QUALIFICATION EXPIRATION DATE: 4 March, 2025 •

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS		CODES
UNIROYAL BR	ANDS (MANUFACTURED BY MI	CHELIN)		
X1.9.34	Tiger Paw AWP II	a/s, m/s (rib)	PS, AP	
X1.9.35	Tiger Paw ICE & SNOW II	s/t, m/s (lug)	PS, AP	
X1.9.36	Tiger Paw TOURING	a/s	PS, AP	
X1.9.37	Tiger Paw TOURING SR	a/s	PS, AP	
X1.9.38	Tiger Paw AS65	a/s	PS, AP	
X1.9.39	Tiger Paw GTZ	a/s	PS, AP	
X1.9.40	Laredo Cross Country	a/s	PS, PSN, AP	
X1.9.41	Laredo Cross Country Tour	a/s	PS, PSN, AP	

TEST QUALIFICATION REFERENCE: NATC Project #22312

GROUP 1, PURSUIT & EMERGENCY HIGH SPEED BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS

SR-V

• TEST QUALIFICATION REFERENCE: E/ECE/324 E/ECE/TRANS/505 Regulation No. 30

• QUALIFICATION EXPIRATION DATE: N/A

• QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES

CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES					
GOVERNMENTMODEL/BRANDITEM NO.DESIGNATIONCLASSCODESQUALIFIED SIZES					
FIRESTONE BRANDS:					
X1 .2.40	"FIREHAWK PV41"	a/s	AP, PSN, PEH	S, P225/60R16 (97V)	

<u>GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED</u> (continued)

CONTINENTAL TIRE COMPANY

- TEST QUALIFICATION REFERENCE: E/ECE/324 E/ECE/TRANS/505 Regulation No. 30
- QUALIFICATION EXPIRATION DATE: N/A
- QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL TIRE MANUFACTURING FACILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLA	SS CODES	QUALIFIED SIZES
GENERAL BRAND	S:			
X1.5.1P	G-MAX Justice	a/s	AP,PEHS,PS	N 225/60ZR18 100W
				235/50ZR18 101W
				235/55ZR17 99W
				SR-V
	G-MAX Justice	a/s	AP,PEHS,PS	N 225/60R16 98V
				245/55R18 103V
				265/60R17 108V
				255/60R18 112V
				275/55R20 113V
				SR-V
	G-MAX Justice AW	a/s	AP,PEHS,PS	
				265/60R17 108V
				SR-V
	G-MAX Justice AW	a/s	AP,PEHS,RS	
		.,.		245/55R18 103V
				275/55R20 113V
				235/50R18XL 101V
				255/60R18XL 112V
				,

•

GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED

(continued)

COOPER TIRE & RUBBER COMPANY

TEST QUALIFICATION REFERENCE: E/ECE/324 E/ECE/TRANS/505 Regulation No. 30

• QUALIFICATION EXPIRATION DATE: N/A

•	TION EXPIRATION DATE: N/A			
•	PRODUCTION POINTS: ALL COOPER TIRE MA	NUFACT	URING FACILITIES	
GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
COOPER BRANDS	:			
X1.3.102P	Cooper CS5 Ultra Touring	a/s	AP,PSN,PEHS, SR-V	225/60R18 100V
				235/55R17 99V
				235/55R18(XL) 104V
			AP,PSN,PEHS, SR-W	235/50R18 97W
				235/55R17 99W
MASTERCRAFT Brands	(Manufactured by Cooper Tire & Rubber Co)			
X1.3.104P	"LSR GRAND TOURING"	a/s	AP,PSN,PEHS, SR-V	235/55R18 104V
			AP,PSN,PEHS, SR-W	235/50R18 97W
			AP,PSN,PEHS, SR-V	225/60R18 100V
			AP,PSN,PEHS, SR-V	235/55R17 99V
			AP, PSN, PEHS, SR-W	235/55R17 99W

30

,

GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED

(continued)

THE GOODYEAR TIRE & RUBBER COMPANY

TEST QUALIFICATION REFERENCE: E/ECE/324 E/ECE/TRANS/505 Regulation No. 30

• QUALIFICATION EXPIRATION DATE: N/A

QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
 CONSULT TIME MANUFACTURINE FOR LOAD RANGE GARAGE

CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNI		MODEL/BRAND				
ITEM NO.		DESIGNATION	CLAS	S	CODES	QUALIFIED SIZES
GOODY	EAR BRANDS	:				
¥4.0.00D		<i>,</i> , , , , , , , , , , , , , , , , , ,	((!!)			D005/00D10
X1.6.26P	"EAGLE RS-A"(\	/ speed rating)	a/s (rib)	AP, PEHS, P	SN,STC, SR-V	P225/60R16
						P265/60R17
						245/55R18
X1.6.27P	"EAGLE RS-A"		a/s (rib)	AP,PEHS,PSI	N,STC,SR-W	P235/50R18XL
						P235/55R17
						P225/60R18
X1.6.29P	EAGLE RS-A P	lus	a/s (rib)	AP,PEHS,PSI	N,STC,SR-V	P225/60R16
X1.6.30P	EAGLE ULTRA	GRIP GW2	s/t a/s	AP,PEHS,PSN	N,STC,SR-V	P225/60R16
X1.6.31P	EAGLE ULTRA	GRIP GW3	s/t a/s	AP,PEHS,PSN	N,STC,SR-V	P235/55R17
						P225/60R18
						235/50R18 XL
						245/55R18
X1.6.32P	EAGLE ULTRA	GRIP GW3	s/t a/s	AP, PEHS, PSN	N.STC.SR-H	265/60R17
				, ,		
X1.6.32.P	EAGLE ENFOR			PEHS, PSN, SI		255/60R18
A1.0.32.F	EAGLE ENFOR	JER	a/s AF, I	FENO, FON, OI	IC, 3K-V	255/00K 10
X4 0 04 D			- / - /- ^			
X1.6.34.P	EAGLE ENFOR	JER WINTER	s/t a/s P	AP, PEHS, PSN	I, STC, SR-V	225/60R18
	EAGLE ENFOR	CER ALL				
X1.6.35.P	WEATHER		s/t a/s A	AP, PEHS, PSN	I, STC, SR-V	245/55R18

GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED

(continued) MICHELIN NORTH AMERICA

- TEST QUALIFICATION REFERENCE: E/ECE/324 E/ECE/TRANS/505 Regulation No. 30
- QUALIFICATION EXPIRATION DATE: N/A
- QUALIFIED PRODUCTION POINTS: ALL MICHELIN MANUFACTURING FACILITIES
- CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):

GOVERNMENT <u>ITEM NO.</u>	MODEL BRAND <u>DESIGNATION</u>	<u>C</u>	CODES CODES	QUALIFIED SIZES
		a/s		
X1.9.60P	"TOURING T/A HR4"	(rib) a/s	AP, PEHS, PS, SR-97H	P225/60R16
X1.9.61P	"TOURING T/A VR4"	(rib)	AP, PEHS, PS, SR-97V	P225/60R16
X1.9.72P	"g-Force T/A KDW"	a/s rib)	AP, PS, PEHS, SR-Y	245/50R16 245/45R17
				275/40R17
		a/s		
X1.9.73P	"g-Force T/A KDWS"	(rib)	AP, PS, PEHS, SR-W	245/50R16
				245/45R17
		,		275/40R17
X1.9.74P	"Advantage T/A"	a/s (rib)	AP, PEHS, PS, SR-98V	225/60R16
		a/s		
X1.9.79P	"g-Force Super Sport"	(rib)	AP, PEHS, PS, SR-99W	235/55ZR17
X1.9.80P	"g-Force Comp-2 Plus"	a/s	AP, PEHS, PSN, SR-103W	235/55ZR17XL
X1.9.81P	"g-Force Comp-2 Plus"	a/s a/s	AP, PEHS, PSN, SR-101W	235/50ZR18XL
X1.9.82P	"Advantage T/A Sport"	(rib)	AP, PEHS, PSN, SR-V	225/60R18
				245/55R18
				265/60R17

<u>GROUP 2, LIGHT TRUCK: NEW TIRES</u> BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED

- QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC Project Number 22219
- QUALIFICATION EXPIRATION DATE: 30 OCTOBER, 2023

BRIDGESTONE BRANDS (Polyester/Steel):

GOVERNMENT	MODEL/BRAND			
ITEM NO.	DESIGNATION	CLASS	CODES	
X2.2.1RA/RB	Duravis R500	A/T, M/S	PS, AP	
X2.2.2RA/RB	Duravis M700 HD	0/0, M/S	PS, AP	
X2.2.3RA/RB	TRANSFORCE HT	A/S	PSN, AP	
X2.2.4RA/RB	TRANSFORCE AT	A/T	PSN, AP	
X2.2.5RA/RB	Dueler A/T (D695)	A/T, M/S	PSN, AP	
X2.2.6RA/RB	Dueler H/T (D684II)	A/S	PSN, AP	
X2.2.7RA/RB	Dueler A/T Revo 2 (D696)	A/T, M/S	PSN, AP	
X2.2.8RA	Duravis R238	R/T	SS, AP	

FIRESTONE BRANDS (Polyester/Steel):

MODEL/BRAND			
DESIGNATION	CLASS	CODES	<u> </u>
Destination LE	A/T, MS	PSN, AP	
Destination AT2	A/T, MS	PSN, AP	
Destination MT	A/T/S	PSN, AP	
Winterforce LT	S/T	PSN, AP (DIR)	
	DESIGNATION Destination LE Destination AT2 Destination MT	DESIGNATIONCLASSDestination LEA/T, MSDestination AT2A/T, MSDestination MTA/T/S	DESIGNATIONCLASSCODESDestination LEA/T, MSPSN, APDestination AT2A/T, MSPSN, APDestination MTA/T/SPSN, AP

GROUP 2, LIGHT TRUCK: NEW TIRES

CONTINENTAL TIRE NORTH AMERICA

- QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC PROJECT # 22092
- QUALIFICATION EXPIRATION DATE: 19 JUNE, 2022

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
GENERAL BRANDS (Polyester/Steel):			
X.2.5.1	Grabber HTS	a/s	PSN,AP
X.2.5.2	Grabber HD	a/s (rib)	PSN,AP
X.2.5.3	Grabber HTS60	a/s	PSN,AP
X.2.5.4	Grabber AT2	a/t, m/s	PSN,AP,STC
X.2.5.5	Grabber X3	a/t/s	PSN,AP
X.2.5.9	Grabber AT/X	a/t, m/s	PSN,AP,STC
CONTINENTAL BRANDS (Polyester/Steel):			
X2.5.6	Terrain Contact AT	a/t	PSN, AP
X.2.5.7	VancoFourSeason	a/s (rib)	PSN,AP
X.2.5.8	TerrainContact H/T	a/s	PSN,AP

GROUP 2, LIGHT TRUCK: NEW TIRES (continued)

THE COOPER TIRE & RUBBER COMPANY

- QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC PROJECT No. 22287-FR-REV0
- QUALIFICATION EXPIRATION DATE: 31 December, 2025

COOPER BRANDS (POLYESTER STEEL CONSTRUCTION)

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
X2.3.1RA/RB	DISCOVERER HT3	r/t, a/s, m/s	AP, PSN
X2.3.5RA/RB	DISCOVERER S/T MAXX	o/o, a/t, a/s, m/s	AP, PSN
X2.3.9RA/RB	DISCOVERER STT PRO	o/o, a/t, a/s, m/s	AP, PSN
X2.3.10RA/RB	DISCOVERER AT3 LT	a/t, a/s, m/s, s/t	AP, PSN
X2.3.11RA/RB	DISCOVERER AT3 XLT	a/t, a/s, m/s, s/t	AP, PSN
X2.3.11RA/RB	EVOLUTION M/T	o/o, a/t, a/s, m/s	AP, PSN
X2.3.12RA/RB	DISCOVERER SNOW CLAW	s/t, m/s	AP, PSN, STC
X2.3.13RA/RB	DISCOVERER RUGGED TREK	a/s, a/t, m/s	AP, PSN

- QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC PROJECT No. 22287-FR-REV0
- QUALIFICATION EXPIRATION DATE: 31 December, 2025

MASTERCRAFT BRANDS (POLYESTER STEEL CONSTRUCTION)

GOVERNMENT	MODEL/BRAND		
ITEM NO.	DESIGNATION	CLASS	CODES
X2.29.1RA/RB	COURSER HXT	r/t, a/s, m/s	AP, PSN
X2.29.3RA/RB	COURSER MXT	o/o, a/t, a/s, m/s	AP, PSN
X2.29.6RA/RB	COURSER CXT	o/o, a/t, a/s, m/s	AP, PSN
X2.29.7RA/RB	STRATUS HT	a/s, m/s	AP, PSN
X2.29.8RA/RB	STRATUS AP	a/t, a/s, m/s	AP, PSN
X2.29.9RA/RB	COURSER AXT2	a/t, a/s, m/s	AP, PSN
X2.29.10RA/RB	GLACIER MSR	s/t, m/s	AP, PSN, STC

• QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE & RUBBER COMPANY MANUFACTURING FACILITIES

• TEST QUALIFICATION REFERENCE: NATC PROJECT No. 22287-FR-REV0

• QUALIFICATION EXPIRATION DATE: 31 December, 2025

MICKEY THOMPSON BRANDS (POLYESTER STEEL NYLON CONSTRUCTION)

GOVERNMENT	MODEL/BRAND		
ITEM NO.	DESIGNATION	CLASS	CODES
X2.31.2RA/RB	BAJA ATZ P3	o/o, a/t, a/s, m/s	AP, PSN
X2.31.5RA/RB	BAJA MTZ P3	o/o, a/t, a/s, m/s	AP, PSN
X2.31.6RA/RB	Deegan 38	o/o, a/t, a/s, m/s	AP, PSN
X2.31.7RA/RB	Deegan 38 All-Terrain	a/t, a/s, m/s	AP, PSN
X2.31.8RA/RB	MT Baja Boss	o/o, a/t, a/s, m/s	AP, PSN

GROUP 2, LIGHT TRUCK: NEW TIRES (continued)

DICK CEPEK BRANDS (POLYESTER STEEL NYLON CONSTRUCTION)

- QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC PROJECT No. 22287-FR-REV0
- QUALIFICATION EXPIRATION DATE: 31 December, 2025

GOVERNMENT	MODEL/BRAND		
ITEM NO.	DESIGNATION	CLASS	CODES
X2.32.1RA/RB	FUN COUNTRY	o/o, a/t, a/s, m/s	AP, PSN
X2.32.2RA/RB	TRAIL COUNTRY	a/t, a/s, m/s	AP, PSN
X2.32.3RA/RB	EXTREME COUNTRY	o/o, a/t, a/s, m/s	AP, PSN
X2.32.4RA/RB	TRAIL COUNTRY EXP	o/o, a/t, a/s, m/s	AP, PSN

GROUP 2, LIGHT TRUCK: NEW TIRES (continued)

THE GOODYEAR TIRE & RUBBER COMPANY

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC PROJECT No. 22106
- QUALIFICATION EXPIRATION DATE: 24 October, 2022

GOVERNMENT	MODEL/BRAND		
ITEM NO.	DESIGNATION	CLASS	CODES

GOODYEAR BRANDS (POLYESTER/STEEL CONSTRUCTION):

X2.6.5RA/RB X2.6.6RA/RB X2.6.10RA/RB X2.6.10RA/RB X2.6.11RA/RB X2.6.12RA/RB X2.6.13RA/RB X2.6.13RA/RB X2.6.15RA/RB X2.6.15RA/RB X2.6.19RA/RB X2.6.20RA/RB X2.6.20RA/RB X2.6.22RA/RB X2.6.23RA/RB X2.6.23RA/RB X2.6.24RA/RB X2.6.26RA/RB X2.6.27RA/RB	ENDURANCE FIERCE ATTITUDE M/T MARATHON ULTRA GRIP ICE WRT LT WRANGLER ARMORTRAC WRANGLER AT WRANGLER AT WRANGLER AT/S WRANGLER DURATRAC WRANGLER FORTITUDE HT WRANGLER HT/S WRANGLER MT WRANGLER MTR - MILITARY WRANGLER MTR - MILITARY WRANGLER MTR W KEVLAR WRANGLER SILENT ARMOR WRANGLER SILENT ARMOR WRANGLER SR-A WRANGLER TRAILRUNNER AT WRANGLER TERRITORY AT WRANGLER TERRITORY MT	R/T, T/O (RIB) A/T, M/S R/T, T/O (RIB) M/S, R/T, S/T (LUG) M/S, A/S, A/T (LUG) A/S, R/T (RIB) M/S, A/T M/S, A/S, A/T (LUG) M/S, A/S, A/T (LUG) M/S, A/S, R/T (RIB) M/S, A/S, R/T (RIB) M/S, A/S, R/T (RIB) M/S, O/O (LUG) M/S, A/T, R/T, O/O (LUG) M/S, A/T, R/T, O/O (LUG) M/S, A/T, R/T, O/O (LUG) M/S, A/S, R/T (RIB) M/S, A/T, R/T, O/O (LUG) M/S, A/T, R/T, O/O (LUG) M/S, A/T, R/T, O/O (LUG) M/S, A/T, R/T, O/O (LUG)	AP, PS, TO AP, PSM AP, PS, TO AP (DIR), PSN, STC AP, PSN, STC AP, PSN, STC AP, PS or PSN, STC AP, PS, STC AP, PSN, STC
	WRANGLER TERRITORY MT WRANGLER WORKHORSE AT	M/S, A/T M/S, AT	AP, PSN, STC AP, PSN, STC
			. ,

GROUP 2, LIGHT TRUCK: NEW TIRES (continued)

THE GOODYEAR TIRE & RUBBER COMPANY

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY AND KELLY-SPRINGFIELD MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC PROJECT No. 22106
- QUALIFICATION EXPIRATION DATE: 24 October, 2022

GOVERNMENT	MODEL/BRAND		
ITEM NO.	DESIGNATION	CLASS	CODES

KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):

X2.8.1RA/RB	EDGE AT	M/S, A/S (LUG)	PS, AP, STC
X2.8.2RA/RB	EDGE HT	M/S, A/S (RIB)	PS, AP, STC
X2.8.3RA/RB	SAFARI TSR	M/S, A/S, A/T (LUG)	AP, PS or PSN, STC
X2.8.4RA/RB	EDGE MT	M/S, A/T (LUG)	AP, PS or PSN, STC

GOODYEAR BRANDS (STEEL/STEEL CONSTRUCTION):

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC PROJECT No. 22106
- QUALIFICATION EXPIRATION DATE: 24 October, 2022

GOVERNMENT ITEM NO.	CLASS	CODES	
X2.6.33RA/RB	ENDURANCE RSA ULT	R/T (RIB)	AP, SS
X2.6.34RA/RB	ENDURANCE RSD ULT	D/A (LUG)	DA, SS, STC
X2.6.35RA/RB	G622 RSD	D/A (LUG)	DA, SS, STC
X2.6.36RA/RB	G633 RSD	D/A (LUG)	DA, SS, STC
X2.6.37RA/RB	G647 RSS	A/P(RIB)	AP, SS, STC
X2.6.38RA/RB	G933 RSD ARMOR MAX	D/A (LUG)	DA, SS, STC
X2.6.39RA/RB	G947 RSS ARMOR MAX	R/T, A/S (RIB)	AP, SS
X2.6.40RA/RB	G949 RSA ARMOR MAX	R/T (RIB)	AP, SS
X2.6.41RA/RB	G971 ARMOR MAX	O/O/S (LUG)	DA, SS, STC
X2.6.42RA/RB	REGIONAL RHT II	T/O (RIB)	TO, SS
X2.6.43RA/RB	UNISTEEL G-171	O/O/S (LUG)	DA, SS, STC
X2.6.44RA/RB	UNISTEEL G291	R/T (RIB)	AP, SS
X2.6.45RA/RB	UNISTEEL G614 RST	R/T, T/O (RIB)	TO, SS

<u>GROUP 2, LIGHT TRUCK: NEW TIRES (continued)</u> MICHELIN NORTH AMERICA

• QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES

• TEST QUALIFICATION REFERENCE: NATC Project No. 22034

QUALIFICATION EXPIRATION DATE: 27 SEPTEMBER, 2021
GOVERNMENT MODEL/BRAND

MODEL/BRAND DESIGNATION	CLASS	CODES
NDS:		
DEFENDER LTX	A/S	PS,AP
PREMIER LTX	A/S	PS,AP
LTX AT2	A/T	PS,AP
LTX A/S	A/S	PS,AP
LTX WINTER	M/S	PS,AP
LTX MS2	AS, MS (rib)	PS, AP
X LT A/S	A/S	PS,AP
ENERGY SAVER LTX	A/S	PS,AP
LATITUDE TOUR	A/S	PS,AP
LATITUDE TOUR HP	A/S	PS,AP
LATITUDE DIAMARIS	M/S, A/S	PS, AP
LATITUDE SPORT 3	R/T	PS,AP
LATITUDE SPORT	R/T	PS,AP
4X4 DIAMARIS	R/T	PS,AP
AGILIS	R/T	PS,AP
XPS RIB	R/T	PS,AP
XPS TRACTION	M/S	PS,AP
AGILIS ALPIN	M/S	PS,AP
LATITUDE ALPIN LA2	M/S	PS,AP
LATITUDE ALPIN HP	M/S	PS,AP
LATITUDE X-ICE2	M/S	PS,AP
	DESIGNATION NDS: DEFENDER LTX PREMIER LTX LTX AT2 LTX A/S LTX WINTER LTX MS2 X LT A/S ENERGY SAVER LTX LATITUDE TOUR LATITUDE TOUR HP LATITUDE SPORT 3 LATITUDE SPORT 4X4 DIAMARIS AGILIS XPS RIB XPS TRACTION AGILIS ALPIN LATITUDE ALPIN HP	DESIGNATIONCLASSNDS:A/SPREMIER LTXA/SPREMIER LTXA/SLTX AT2A/TLTX AT2A/TLTX ASA/SLTX WINTERM/SLTX MS2AS, MS (rib)X LT A/SA/SENERGY SAVER LTXA/SLATITUDE TOURA/SLATITUDE TOUR HPA/SLATITUDE DIAMARISM/S, A/SLATITUDE SPORT 3R/TLATITUDE SPORT 4X4 DIAMARISR/TAGILISR/TXPS RIBR/TXPS TRACTIONM/SLATITUDE ALPIN LA2M/SLATITUDE ALPIN HPM/S

• QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES

• TEST QUALIFICATION REFERENCE: NATC PROJECT NO. 22035

• QUALIFICATION EXPIRATION DATE: 22 NOVEMBER, 2021

MODEL/BRAND DESIGNATION	CLASS	CODES
ANDS (MANUFACTURED BY MICHELIN	N):	
"Long Trail Tour T/A"	a/s, m/s	PS, AP
"Rugged Trail T/A"	a/s, m/s	PS, AP
"RADIAL MUD TERRAIN T/A KM2"	a/t, (lug)	PS, AP
"COMMERCIAL T/A TRACTION"	a/s, m/s (lug)	PS, AP
Rugged Terrain T/A	a/s	PS, AP
Commercial T/A All Season 2	a/s	PS, AP
Winter Slalom KSI	m/s	PS, AP
All Terrain T/A KO2	a/t	PS, AP
	DESIGNATION NDS (MANUFACTURED BY MICHELIN "Long Trail Tour T/A" "Rugged Trail T/A" "RADIAL MUD TERRAIN T/A KM2" "COMMERCIAL T/A TRACTION" Rugged Terrain T/A Commercial T/A All Season 2 Winter Slalom KSI	DESIGNATIONCLASSNDS (MANUFACTURED BY MICHELIN):"Long Trail Tour T/A"a/s, m/s"Rugged Trail T/A"a/s, m/s"RADIAL MUD TERRAIN T/A KM2"a/t, (lug)"COMMERCIAL T/A TRACTION"a/s, m/s (lug)Rugged Terrain T/Aa/sCommercial T/A All Season 2a/sWinter Slalom KSIm/s

GROUP 2, LIGHT TRUCK: NEW TIRES (continued)

QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES ٠

TEST QUALIFICATION REFERENCE: NATC PROJECT NO. 22035 ٠

QUALIFICATION EXPIRATION DATE: 22 NOVEMBER, 2021 •

GOVERNMENT	MODEL/BRAND
ITEM NO	DESIGNATION

ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
UNIROYAL BR.	ANDS (MANUFACTURED BY MICHE	LIN):	
X2.9.51RA/RB	"LAREDO HD/H"	a/s	PS, AP
X2.9.52RA/RB	"LAREDO HD/T"	a/t, m/s (lug)	PS, AP
X2.9.53RA/RB	"LAREDO CROSS COUNTRY"	a/s	PS, AP
X2.9.54RA/RB	"LAREDO CROSS COUNTRY TOUR"	a/s	PS, AP

SPECIALTY TIRES OF AMERICA INCORPORATED

QUALIFIED PRODUCTION POINTS: ALL SPECIALTY TIRES OF AMERICA TIRE MANUFACTURING FACILITIES ٠

TEST QUALIFICATION REFERENCE: NATC PROJECT NO. 22067 ٠

• QUALIFICATION EXPIRATION DATE: 31 MAY, 2022

OUALIFICATION RUN)

QUALITICATION	(CIV)		
GOVERNMENT	MODEL/BRAND		
ITEM NO.	DESIGNATION	CLASS	CODES
SPECIALTY BRA	NDS:		
X2.10.1BA/BB	"SUPER TRANSPORT"	r/t (rib)	N, AP
X2.10.2BA/BB	"SUPER POWER RIB"	r/t (rib)	N, AP
X2.10.3BA/BB	"SUPER TRAXION"	m/s (lug)	N, DA
X2.10.4BA/BB	"HIGHWAY RIB"	r/t (rib)	N, AP
X2.10.5BA/BB	"NON-DIRECTIONAL TREAD"	m/s,d/a (lug)	N, ND, DA
X2.10.6BA/BB	"SUPERLUG-M/S"	m/s (lug)	N, AP

GROUP 3, TRUCK & BUS: NEW TIRES

BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED

QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES ٠

TEST QUALIFICATION REFERENCE: NATC Project No. 22116 ٠

QUALIFICATION EXPIRATION DATE: 24 October, 2022 ♦ G II

GOVERNMENT	MODEL/BRAND

GOVERNMENT	MODEL/BRAND		
ITEM NO.	DESIGNATION	CLASS	CODES
BRIDGESTONE	RADIAL BRANDS:		
X3.2.1RA	"R187"	r/t	AP, SS
X3.2.2RA/RB	"R180"	r/t	AP, SS
X3.2.3RA/RB	"R184"	r/t	AP, SS, LP
X3.2.4RA/RB	"R194"	t/o	SS
X3.2.5RA/RB	"L317"	0/0	DA, SS
X3.2.10RA/RB	"M711"		
		d/a	DA, SS, STC
X3.2.12RA/RB	"M726"	a/t	DA, SS
X3.2.13RA/RB	"M843"	0/0	DA, SS
X3.2.14RA/RB	"M844"	0/0	DA, SS
X3.2.15RA/RB	"M857"	0/0	DA, SS, STC
X3.2.17RA/RB	"R250"	r/t	AP, SS
X3.2.18RA/RB	"L312"	o/o	DA, SS
X3.2.19RA/RB	"M724"	d/a	DA, SS
X3.2.20RA/RB	"R227"	r/t	AP, SS
X3.2.21RA/RB	"R196"	t/o	TO, SS
X3.2.22RA/RB	"M720"	d/a	DA, SS
X3.2.23RA/RB	"M840"	o/o	AP, SS
X3.2.60RA/RB	"R195"	t/o	SS
X3.2.62 RA/RB	"M860"	o/o	AP
X3.2.63 RA/RB	"R287"	r/t	AP, SS
X3.2.64 RA/RB	"R280"	r/t	AP, SS
X3.2.65 RA/RB	"R260"	r/t	AP, SS
X3.2.66 RA/RB	"GREATEC Drive & Trailer"	r/t	AP, SS
X3.2.67 RA/RB	"M725"	d/a	DA, SS
X3.2.68 RA/RB	"M729"	d/a	DA, SS
X3.2.69 RA/RB	"M860" "N852"	0/0	AP,SS
X3.2.70 RA/RB	"M850" "1225"	0/0	AP, SS
X3.2.71 RA/RB	"L305"	0/0	AP, SS
X3.2.72 RA/RB	"L320"	0/0	DA, SS
X3.2.73 RA/RB	"M775"	0/0	DA, SS
X3.2.74 RA/RB	"L315"	0/0	DA, SS
X3.2.75 RA/RB	"R192"	d/a	DA, SS
X3.2.90 RA/RB	"R283 Ecopia"	R/T	AP, SS
X3.2.91 RA/RB	"R287A"	R/T	AP, SS
X3.2.92 RA/RB	"R227F"	R/T	AP, SS
X3.2.93 RA/RB	"R260F"	R/T	AP, SS
X3.2.94 RA/RB	"R250F"	R/T	AP, SS
X3.2.95 RA/RB	"R250ED"	R/T	AP, SS
X3.2.96 RA/RB	"M710 Ecopia"	D/A	DA, SS
X3.2.97 RA/RB	"M726EL"	D/A	DA, SS
X3.2.98 RA/RB	"Greatec M835 Ecopia"	D/A	DA, SS
X3.2.99 RA/RB	"Greatec M825"	D/A	DA, SS
X3.2.100 RA/RB	"M770"	D/A	DA, SS
X3.2.101 RA/RB	"M729F"	D/A	DA, SS
X3.2.102 RA/RB	"M895"	R/T	AP, SS
X3.2.102 RA/RB	"M724F"	R/T	AP, SS
X3.2.103 RA/RB	"R197 Ecopia"	R/T	AP, SS
	"R195F"		
X3.2.105 RA/RB		R/T	AP, SS
X3.2.106 RA/RB	"Greatec R135 Ecopia"	T/O	TO, SS
X3.2.107 RA/RB	"Greatec R125A"	T/O	TO, SS
X3.2.108 RA/RB	"R187F"	R/T	AP, SS
X3.2.109 RA/RB	"M799"	D/A	DA, SS
X3.2.110 RA/RB	"M853"	0/0	AP, SS
X3.2.111 RA/RB	"M844F"	0/0	AP, SS
X3.2.112 RA/RB	"R268"	R/T	AP, SS
X3.2.113 RA/RB	"R244"	0/0	AP, SS
X3.2.114 RA/RB	"M854"	0/0	AP, SS

BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED

- QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES ٠ TEST QUALIFICATION REFERENCE: NATC Project No. 22116
- •
- QUALIFICATION EXPIRATION DATE: 24 October, 2022 ٠

GOVERNMENT	MODEL/BRAND		CODEC
ITEM NO. FIRESTONE RA	DESIGNATION	CLASS	CODES
X3.2.25RA/RB	"XR4"	r/t	AP, SS
X3.2.34RA/RB	"T-831"	0/0	DA, SS
X3.2.38RA/RB	"T559"	a/t	DA, SS
X3.2.40RA/RB	"T575"	r/t	AP, SS
X3.2.44RA/RB	"FS 507"	r/t	AP, SS
X3.2.45RA/RB	"FD 663"	d/a	DA, SS
X3.2.46RA/RB	"FT 455"	r/t	AP, SS
X3.2.47RA/RB	"T839"	r/t	AP, SS
X3.2.48RA/RB	"T819"	0/0	AP, SS
X3.2.49RA/RB	"T546"	d/a	DA, SS
X3.2.51RA/RB	"FS590 +"	r/t	AP, SS
X3.2.59RA/RB	"FS560"	r/t	AP, SS
X3.2.76 RA/RB	"FS400*"	r/t	AP, SS
X3.2.77 RA/RB	"CTR"	r/t	AP, SS
X3.2.78 RA/RB	"FD690"	d/a	DA, SS
X3.2.79 RA/RB	"FD835"	0/0	DA, SS
X3.2.80 RA/RB	"FS507+"	R/T	AP, SS
X3.2.81 RA/RB	"FS560+"	R/T	AP, SS
X3.2.82 RA/RB	"FD695+"	D/A	DA, SS
X3.2.83 RA/RB	"FD690+"	D/A	DA, SS
X3.2.84 RA/RB	"FT455+"	R/T	AP, SS
X3.2.85 RA/RB	"FS400"	R/T	AP, SS
X3.2.86 RA/RB	"FD600"	D/A	DA, SS
X3.2.87 RA/RB	"FS820"	O/O	AP, SS
X3.2.88 RA/RB	"FT491"	R/T	TO, SS
X3.2.89 RA/RB	"FD691"	D/A	DA, SS
X3.2.115 RA/RB	"FS561"	R/T	AP, SS
X3.2.115 RA/RB	"FS591"	R/T	AP, SS
13.2.115 REVIED	10071	10/1	, 55

٠

GROUP 3, TRUCK & BUS: NEW TIRES (continued)

CONTINENTAL TIRE NORTH AMERICA

TEST QUALIFICATION REFERENCE: 22232-FR-REV0

• QUALIFICATION EXPIRATION DATE: 30 JANUARY, 2025

 QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL TIRE NORTH AMERICA TIRE MANUFACTURING FACILITIES

FACILITIES			
GOVERNMENT	MODEL/BRAND		CODEC
ITEM NO. GENERAL BRA	DESIGNATION NDS.	CLASS	CODES
X3.5.75RA	ST250 LP	t/o (rib)	SS, LP, TO
X3.5.86RA	Grabber OD	r/t (rib)	SS, AP
X3.5.87RA	Grabber OA	r/t, o/o (rib)	SS, AP
X3.5.88RA	Grabber OA WB	o/o (lug)	SS, AP
X3.5.140RA	General HS	r/t (rib)	SS, AP
X3.5.141RA	General HD	d/a (lug)	SS, DA
X3.5.142RA	General HT	t/o (rib)	SS, TO
X3.5.143RA	Reneral RA	r/t (rib)	SS, AP
X3.5.144RA	General RD	d/a, o/o (lug)	SS, DA
X3.5.145RA	General WT	o/o (rib)	SS, AP
		0/0 (IID)	55, AF
CONTINENTAL B			
X3.5.53RA	HSR	r/t (rib)	SS, AP
X3.5.57RA X3.5.60RA	HTC HSR1	o/o (lug) r/t (rib)	SS, AP SS, AP
X3.5.62RA	HDR	d/a (lug)	SS, DA
X3.5.65RA	HDL Eco Plus	d/a (lug) d/a (lug)	SS, DA
X3.5.68RA	HDO	d/a (lug)	SS, DA, STC
X3.5.82RA	HSR2	r/t (rib)	SS, AP
X3.5.83RA	HDL2 DL	d/a (lug)	SS, DA
X3.5.84RA	HDR2	d/a (lug)	SS, DA
X3.5.89RA	HSL2 Eco Plus	r/t (rib)	SS, AP
X3.5.92RA	HSR2 Eco Plus	r/t (rib)	SS, AP
X3.5.93RA	HSR2 SA	r/t (rib)	SS, AP
X3.5.96RA	HTL Eco Plus	t/o (rib)	SS, TO
X3.5.97RA	HTR2	r/t (rib)	SS, AP
X3.5.98RA	HTC1	o/o (rib)	SS, AP
X3.5.99RA	LSR1	r/t (rib)	SS, AP
X3.5.100RA		d/a (lug)	SS, DA
X3.5.101RA X3.5.103RA	HTL1 HCS	t/o (rib)	SS, TO SS, AP
X3.5.103RA X3.5.104RA	HSC1	o/o (lug) o/o (rib)	SS, AP SS, AP
X3.5.105RA	HDL2 DL Eco Plus	d/a (lug)	SS, DA
X3.5.106RA	HDL2 Eco Plus (WB)	d/a (lug)	SS, DA
X3.5.107RA	HDL2+ Eco Plus	d/a (lug)	SS, DA
X3.5.109RA	HDR2 Eco Plus	d/a (lug)	SS, DA
X3.5.111RA/RB	HDC1	d/a (lug)	SS, DA
X3.5.1121RA	HTL2 Eco Plus	t/o (rib)	SS, TO
X3.5.113RA	LSU1	r/t (rib)	SS, AP
X3.5.115RA	HDW2	d/a, s/t (lug)	SS, DA
X3.5.116RA	LSR1+	r/t (rib)	SS, AP
X3.5.117RA	LDR1+	d/a (lug)	SS, DA
X3.5.118RA	Conti CityService HA3	r/t (rib)	SS, AP
X3.5.119RA	Conti Coach HA3	r/t (rib)	SS, AP
X3.5.120RA	Conti CrossTrac HA3	r/t (rib)	SS, AP
X3.5.121RA X3.5.122RA	Conti EcoPlus HS3 Conti Hybrid HD3	r/t (rib)	SS, AP
	Conti Hybrid HD3 Conti Hybrid HS3	d/a (lug) r/t (rib)	SS, DA SS, AP
X3.5.123RA X3.5.124RA	Conti Hybrid HT3	r/t (rib)	SS, AP SS, TO
X3.5.124RA X3.5.125RA	Conti LAR 3	r/t (rib)	SS, TO SS, AP
X3.5.126RA	Conti Scandinavia HD3	d/a, s/t (lug)	SS, DA
		a, a, b, t (10g)	00, 01

CONTINENTAL TIRE NORTH AMERICA

• TEST QUALIFICATION REFERENCE: 22232-FR-REV0

 QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL TIRE NORTH AMERICA TIRE MANUFACTURING FACILITIES

GOVERNMENT	MODEL/BRAND		
ITEM NO.	DESIGNATION	CLASS	CODES
X3.5.127RA	Conti Terra HD3	d/a (lug)	SS, DA
X3.5.128RA	Conti Urban HA3	r/t (rib)	SS, AP
X3.5.129RA	HDC1 HT	d/a (lug)	SS, DA
X3.5.130RA	HDL2	d/a (lug)	SS, DA
X3.5.131RA	HDR2+	d/a (lug)	SS, DA
X3.5.132RA	HDU1	d/a (lug)	SS, DA
X3.5.133RA	Conti HSL 3	r/t (rib)	SS, AP
X3.5.134RA	Conti HSR 3	r/t (rib)	SS, AP
X3.5.135RA	Conti HAU 3 WT	r/t (rib)	SS, AP
X3.5.136RA	Conti EcoPlus HT3	r/t (rib)	SS, TO
X3.5.137RA	Conti HSC 3	o/o (rib)	SS, AP
X3.5.138RA	Conti HDC 3	d/a (lug)	SS, DA
X3.5.139RA	Conti HAC 3	o/o (rib)	SS, AP

[•] QUALIFICATION EXPIRATION DATE: 30 JANUARY, 2025

THE GOODYEAR TIRE & RUBBER COMPANY

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC PROJECT: 22293
- QUALIFICATION EXPIRATION DATE: 8 JANUARY, 2027

GOVERNMENT	MODEL/BRAND		
ITEM NO.	DESIGNATION	CLASS	CODES
GOODYEAR BR A	ANDS:		
X3.6.1RA/RB		O/O (LUG)	SS,DA, STC
X3.6.2RA/RB	ArmorMax Pro Grade MSD Duraseal	O/O (LUG)	SS,DA, STC
X3.6.3RA/RB	Endurance LHD	D/A (LUG)	DA,SS
X3.6.4RA/RB	Endurance LHS	S/O (RIB)	AP, SS
X3.6.5RA/RB	Endurance RSA	R/T (RIB)	SS,AP
X3.6.6RA/RB	Endurance RSD	D/A (LUG)	DA,SS
X3.6.7RA/RB	Endurance TSD	R/T (RIB)	SS,AP
X3.6.8RA/RB	Endurance WHA	O/O (RIB)	AP,SS
X3.6.9RA/RB	Endurance WHA Duraseal	O/O (RIB)	AP,SS
X3.6.10RA/RB	FuelMax SSD	D/A (LUG)	DA,SS
X3.6.11RA/RB	FuelMax SST	T/O (RIB)	TO, SS
X3.6.13RA/RB	FuelMax LHD G505D	O/O (LUG)	SS,DA, STC
X3.6.14RA/RB	FuelMax LHT	R/T, T/O (RIB)	TO,SS
X3.6.15RA/RB	FuelMax RSA	R/T (RIB)	AP,SS
X3.6.16RA/RB	FuelMax RTD	D/A (LUG)	DA,SS
X3.6.17RA/RB	FuelMax S	R/T, S/O (RIB)	SS
X3.6.18RA/RB	FuelMax T	R/T, T/O (RIB)	TO,SS
X3.6.19RA/RB	G114 LHT	T/O (RIB)	SS,TO,LP
X3.6.20RA/RB	G149 RSA	R/T (RIB)	AP,SS
X3.6.21RA/RB	G159	A/P(RIB)	AP,SS
X3.6.22RA/RB	G159A	A/P(RIB)	AP,SS
X3.6.23RA/RB	-	A/P, O/O (LUG)	AP,SS
X3.6.24RA/RB		O/O (LUG)	SS,DA, STC
X3.6.25RA/RB	G177 OTR	O/O (LUG)	SS,DA, STC
X3.6.26RA/RB	G182 RSD GHG	R/T (RIB)	SS,AP
X3.6.27RA/RB	G182 RSD	R/T (RIB)	SS,AP
X3.6.29RA/RB	G272 MSA	A/P, O/O (LUG)	AP/SS/STC
X3.6.30RA/RB	G278 MSD	D/A, O/O (LUG)	DA/SS/STC
X3.6.33RA/RB	G282 MSD	D/A, O/O (LUG)	DA,SS,STC
X3.6.34RA/RB	G287	O/O (LUG)	SS,AP,STC
X3.6.35RA/RB	G288 MSA	0/0/S (LUG)	AP,SS,STC
X3.6.37RA/RB	G288 MSA DURASEAL	0/0/S (LUG)	AP,SS,STC
X3.6.38RA/RB	G289 WHA	0/0 (RIB)	AP,SS
X3.6.40RA/RB	G289 WHA DURASEAL	O/O (RIB)	AP,SS
X3.6.41RA/RB	G291	R/T (RIB)	SS,AP
X3.6.42RA/RB	G296 MSA	O/O (RIB)	SS,AP,STC

<u>GROUP 3, TRUCK & BUS: NEW TIRES (continued)</u> THE GOODYEAR TIRE AND RUBBERCOMPANY (continued)

CODES

QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER
 COMPANY MANUFACTURING FACILITIES

TEST QUALIFICATION REFERENCE: NATC PROJECT: 22293

QUALIFICATION EXPIRATION DATE: 8 JANUARY, 2027

GOVERNMENT ITEM NO	MODEL/BRAND.	CLASS

GOVERNMENT MEMINE	o model diand. Cera	0	CODES
X3.6.43RA/RB	G296 MSA DURASEAL	O/O (RIB)	SS,AP,STC
	G296 WHA	0/0 (RIB)	SS,AP,STC
	G296 WHA DURASEAL	0/0 (RIB)	SS,AP,STC
	G316 LHT FUELMAX	0/0 (INB)	55,AI ,510
	DURASEAL	R/T, T/O (RIB)	TO,SS
	G316 LHT FUELMAX	R/T, T/O (RIB)	
			TO,SS
	G386 MSS	A/P, O/O (LUG)	AP/SS/STC
	G392A SSD DURASEAL		DA 00 0T0
	FUELMAX	D/A (LUG)	DA,SS,STC
	G394 SST DURASEAL		70.00
	FUELMAX	R/T, T/O (RIB)	TO,SS
	G399A LHS FUELMAX	R/T(RIB)	AP,SS
	G572 1AD FUELMAX	D/A(LUG)	DA,SS,STC
	G614 RST	R/T, T/O (RIB)	TO,SS
	G619 RST	R/T, T/O (RIB)	TO,SS
X3.6.55RA/RB	G622 RSD	D/A (LUG)	DA,SS,STC
X3.6.56RA/RB	G622 RSD	D/A (LUG)	SS,DA,STC
X3.6.57RA/RB	G633 RSD	D/A (LUG)	SS,DA,STC
X3.6.58RA/RB	G647 RSS	R/T (RIB)	SS,AP
X3.6.59RA/RB	G661 HSA	R/T (RIB)	SS,AP
X3.6.60RA/RB	G662 RSA FUEL MAX	R/T (RIB)	AP,SS
X3.6.61RA/RB	G670 RV	R/T (RIB)	SS,AP
	G670 RV MRT	R/T (RIB)	AP,SS
X3.6.63RA/RB	G731 MSA	O/O(LUŚ)	AP,SS
	G731 MSA DURASEAL	A/P (LUG)	AP, SS
X3.6.65RA/RB	G741 MSD	D/A, O/O (LUG)	DA,SS,STC
	G751 MSA	O/O(LUG)	AP,SS
	G751 MSA DURASEAL	A/P (LUG)	AP, SS
	G947 RSS ArmorMax	R/T (RIB)	SS,AP
	G971 ArmorMax	A/P, O/O (LUG)	AP,SS
	KMAX T	R/T, T/O (RIB)	TO,SS
	MARATHON LHD	D/A (LUG)	DA, SS
	MARATHON LHS	R/T (RIB)	AP, SS
	MARATHON LHS II G325	R/T (RIB)	AP,SS
	MARATHON LHS II+	R/T (RIB)	AP,SS
	MARATHON LITS IIT	R/T, T/O (RIB)	TO,SS
	MARATHON LITT	R/T, T/O (RIB)	TO,SS
	MARATHON LHT SS	R/T, T/O (RIB)	TO,SS
	MARATHON RSA	R/T, A/P (RIB)	AP,SS
	MARATHON RSD	D/A (LUG)	DA,SS
	MARATHON RSS	R/T, A/P (RIB)	AP,SS
	MARATHON RTD	O/O (LUG)	SS,DA, STC
	METRO MILER G652 RTB	R/T (RIB)	AP, SS
	MV/T	O/O (LUG)	SS,AP,STC
	OMNITRAC MSD II DURASEAL		DA,SS
	OMNITRAC MSD II PLUS	D/A (LUG)	DA,SS
	OMNITRAC MSS II PLUS	T/O (RIB)	TO, SS
X3.6.87RA/RB	REGIONAL RHD	D/A (LUG)	DA,SS,STC

THE GOODYEAR TIRE & RUBBER COMPANY

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC PROJECT: 22293
- QUALIFICATION EXPIRATION DATE: 8 JANUARY, 2027

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
X3.6.88RA/RB	REGIONAL RHD II	D/A (LUG)	DA,SS,STC
X3.6.89RA/RB	REGIONAL RHD II G131	D/A (LUG)	DA,SS,STC
X3.6.90RA/RB	REGIONAL RHD II G137	D/A (LUG)	DA,SS,STC
X3.6.91RA/RB	REGIONAL RHD II PLUS	D/A (LUG)	DA,SS,STC
X3.6.92RA/RB	REGIONAL RHS	R/T (RIB)	AP,SS
X3.6.93RA/RB	REGIONAL RHS II	R/T (RIB)	AP,SS
X3.6.94RA/RB	REGIONAL RHS II G127	R/T (RIB)	AP,SS
X3.6.95RA/RB	REGIONAL RHS II G129	R/T (RIB)	AP,SS
X3.6.96RA/RB	REGIONAL RHT II	D/A (LUG)	DA,SS,STC
X3.6.97RA/RB	ULTRAGRIP RTD	D/A (LUG)	DA,SS,STC
X3.6.98RA/RB	WORKHORSE MSA	A/P (LUG)	AP, SS
X3.6.99RA/RB	WORKHORSE MSD	D/A (LUG)	DA,SS

THE GOODYEAR TIRE AND RUBBERCOMPANY (continued) KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):

- QUALIFIED PRODUCTION POINTS: ALL KELLY-SPRINGFIELD TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC PROJECT: 22293
- QUALIFICATION EXPIRATION DATE: 8 JANUARY, 2027

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
X3.8.1RA/RB	ARMORSTEEL KDA	D/A	SS,DA,STC,LP
X3.8.2RA/RB	ARMORSTEEL KDM I	R/T (RIB)	SS,AP
X3.8.3RA/RB	ARMORSTEEL KRH	R/T (RIB)	SS,AP
X3.8.4RA/RB	ARMORSTEEL LHD	D/A (LUG)	SS, DA
X3.8.5RA/RB	ARMORSTEEL LHS	R/T (RIB)	SS, AP
X3.8.6RA/RB	ARMORSTEEL LHT	T/O (RIB)	SS, TO
X3.8.7RA/RB	ARMORSTEEL MSA	R/T (RIB)	SS,AP
X3.8.8RA/RB	ARMORSTEEL MSD	D/A (LUG)	SS, DA
X3.8.9RA/RB	ARMORSTEEL RSA	R/T (RIB)	SS,AP
X3.8.10RA/RB	ARMORSTEEL RSD	D/A (LUG)	DA,SS

DUNLOP BRAND (MANUFACTURED BY GOODYEAR):

QUALIFIED PRODUCTION POINTS: ALL DUNLOP TIRE MANUFACTURING FACILITIES

• TEST QUALIFICATION REFERENCE: NATC PROJECT: 22293

• QUALIFICATION EXPIRATION DATE: 8 JANUARY, 2027

GOVERNMENT MODEL/BRAND	ITEM NO. DESIGNATION	CLASS	CODES	
X3.4.1RA/RB	SP160	R/T (RIB)	AP,SS	
X3.4.3RA/RB	SP231A	R/T (RIB)	AP,SS	
X3.4.4RA/RB	SP281	R/T (RIB)	AP,SS	
X3.4.5RA/RB	SP281A	R/T (RIB)	AP,SS	
X3.4.6RA/RB	SP345	R/T (RIB)	AP,SS	
X3.4.7RA/RB	SP348	R/T (RIB)	AP,SS	
X3.4.8RA/RB	SP431A	D/A (LUG)	DA/SS/STC	
X3.4.9RA/RB	SP461	D/A (LUG)	DA,SS,STC	
X3.4.10RA/RB	SP831	0/0, R/T (RIB)	AP,SS	
X3.4.11RA/RB	SP881	D/A, O/O (LUG)	DA,SS,STC	

MICHELIN NORTH AMERICA

BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):

- QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC Project No. 22196
- QUALIFICATION EXPIRATION DATE: 30 OCTOBER, 2024

MODEL BRAND DESIGNATION	CLASS	CODES
"ST244"	r/t, (rib)	SS, AP
"DR454"	d/a	SS, DA
"TR144"	t/o, (rib)	SS, T/O
"ST230"	r/t, (rib)	SS, AP
"DR 444"	d/a (lug)	SS, DA
"Cross Control S"	o/o, r/t (rib)	SS, AP
"Cross Control D"	o/o, d/a (lug)	SS, DA
	DESIGNATION "ST244" "DR454" "TR144" "ST230" "DR 444" "Cross Control S"	DESIGNATION CLASS "ST244" r/t, (rib) "DR454" d/a "TR144" t/o, (rib) "ST230" r/t, (rib) "DR 444" d/a (lug) "Cross Control S" o/o, r/t (rib)

MICHELIN BRANDS:

- QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC Project No. 22196
- QUALIFICATION EXPIRATION DATE: 30 OCTOBER, 2024

GOVERNMENT ITEM NO.	MODEL BRAND DESIGNATION	CLASS	CODES	
X3.9.9RA/RB	"XZA"	r/t, (rib)	SS, AP	
X3.9.11RA/RB	"XZY"	o/o, r/t , (rib)	SS, AP	
X3.9.12RA/RB	"XDL"	o/o, o/o/s, (lug)	SS, DA	
X3.9.13RA/RB	"XTA"	t/o, (rib)	SS, TPO	
X3.9.14RA/RB	"XL"	o/o, o/o/s, (lug)	SS, AP, ND	
X3.9.15RA/RB	"XML"	o/o, o/o/s, (lug)	SS, AP, ND	
X3.9.16RA/RB	"XZL"	o/o, o/o/s, (lug)	SS, AP, ND	
X3.9.17RA/RB	"XS"	o/o, (lug)	SS, AP, ND	
X3.9.18RA/RB	"XZE"	r/t, (rib)	SS, AP	
X3 9.19RA/RB	"XZE*"	r/t, o/o, (rib)	SS, AP	
X3.9.20RA/RB	"XRV"	r/t (rib)	SS, AP	
X3.9.23RA/RB	"XDS"	o/o, s/t, d/a (lug)	SS, DA	
X3.9.26RA/RB	"XZE2"	r/t, (rib)	SS, AP	
X3.9.27RA/RB	"XTY2"	o/o, t/o (rib)	SS, TO	
X3.9.28RA/RB	"XTE2"	t/o (rib)	SS, TO	
X3.9.29RA/RB	"XZY-3"	o/o, r/t , (rib)	SS, AP	
X3.9.30RA/RB	"XPS RIB"	o/o, r/t , (rib)	SS, AP	
X3.9.3199RA/RB	"XPS TRACTION"	o/o, r/t , (lug)	SS, AP	
X3.9.32RA/RB	X Coach HL Z	R/T (rib)	SS, AP	
X3.9.33RA/RB	X InCity Z	R/T (rib)	SS, AP	

GROUP 3, TRUCK & BUS: NEW TIRES (continued) MICHELIN NORTH AMERICA (continued)

QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES

٠ ٠

TEST QUALIFICATION REFERENCE: NATC Project No. 22196 QUALIFICATION EXPIRATION DATE: 30 OCTOBER, 2024 •

GOV. ITEM NO.	N EXPIRATION DATE: 30 OCTOBER, BRAND DESIGNATION	2024 CLASS	CODES
MICHELIN BRANDS			
X3.9.34RA/RB	X Line Energy D		SS, DA
X3.9.35RA/RB	X Line Energy T	T/O, R/T (rib)	SS, TO
X3.9.36RA/RB	X Line Energy Z	R/T (rib)	SS, AP
X3.9.37RA/RB	X Multi D	D/A (lug)	SS, DA
X3.9.38RA/RB	X Multi Energy D	D/A	SS, DA
X3.9.39RA/RB	X Multi Energy Z	R/T (rib)	SS, AP
X3.9.40RA/RB	X Multi T	T/O, R/T (rib)	SS, TO
X3.9.41RA/RB	X Multi Z	R/T (rib)	SS, AP
X3.9.42RA/RB	X MultiWay 3D XZE	R/T (rib)	SS, AP
X3.9.44RA/RB	X One Line Energy D	D/A	SS, DA
X3.9.45RA/RB	X One Line Energy T	T/O, R/T (rib)	SS, TO
X3.9.46RA/RB	X One Multi T	T/O, R/T (rib)	SS, TO
X3.9.48RA/RB	X One XZU S	R/T (rib)	SS, AP
X3.9.49RA/RB	X One XZY3	O/O, R/T (rib)	SS, AP
X3.9.50RA/RB	X Works XDY	0/0, D/A (lug)	SS, DA
X3.9.51RA/RB	X Works Z	O/O, R/T (rib)	SS, AP
X3.9.52RA/RB	XDA5 +	D/A	SS, DA
X3.9.54RA/RB	XDN2	D/A	SS, DA
X3.9.55RA/RB	XDN2 Grip	D/A	SS, DA
X3.9.56RA/RB	XDS 2	O/O, D/A (lug)	SS, DA
X3.9.58RA/RB	XDY-EX2	O/O, D/A (lug)	SS, DA
X3.9.59RA/RB	XFE Wide Base	S/O, R/T (rib)	SS
X3.9.60RA/RB	XTA2 Energy	T/O, R/T (rib)	SS, TO
X3.9.61RA/RB	XTE	T/O, R/T (rib)	SS, TO
X3.9.62RA/RB	XTE2+	T/O, R/T (rib)	SS, TO
X3.9.63RA/RB	XZA2 Energy	R/T (rib)	SS, AP
X3.9.66RA/RB	XZL Wide Base	0/0, 0/0/S (lug)	SS, AP, ND
X3.9.67RA/RB	XZL+	0/0, 0/0/S (lug)	SS, AP, ND
X3.9.68RA/RB	XZL2	0/0, 0/0/S (lug)	SS, AP, ND
X3.9.70RA/RB	XZU S2	R/T (rib)	SS, AP
X3.9.71RA/RB	XZY3 Wide Base	O/O, R/T (rib)	SS, AP
X3.9.72RA/RB	XDA Energy +	D/A (lug)	SS, DA
X3.9.73RA/RB	X Multi T2	T/O, R/T (rib)	SS, TO
X3.9.74RA/RB	X One Multi Energy T	T/O, R/T (rib)	SS, TO
X3.9.75RA/RB	X One Line Grip D	D/A (lug)	SS, DA
X3.9.76RA/RB	X Multiway HD XZE	R/T (rib)	SS, AP
X3.9.77RA/RB	X Works Grip D	0/0, D/A (lug)	SS, DA
X3.9.78RA/RB	X InCity Z SL	R/T (rib)	SS, AP
X3.9.79RA/RB	X InCity Grip D SL	D/A (lug)	SS, DA
		/	,

GROUP 3, TRUCK & BUS: NEW TIRES (continued) MICHELIN NORTH AMERICA (continued)

UNIROYAL BRANDS(MANUFACTURED BY MICHELIN):

• QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES

- TEST QUALIFICATION REFERENCE: NATC Project No. 22196
- QUALIFICATION EXPIRATION DATE: 30 OCTOBER, 2024

GOV. ITEM NO.	BRAND DESIGNATION	CLASS	CODES
X3.9.802RA/RB	HD60	O/O, D/A (lug)	SS, DA
X3.9.81RA/RB	HS50	O/O, R/T (rib)	SS, AP
X3.9.82RA/RB	HS50 Wide Base	O/O, R/T (rib)	SS <i>,</i> AP
X3.9.83RA/RB	LD10	D/A (lug)	SS, DA
X3.9.84RA/RB	LS24	R/T (rib)	SS <i>,</i> AP
X3.9.85RA/RB	LT40	T/O, R/T (rib)	SS <i>,</i> TO
X3.9.86RA/RB	RD30	D/A (lug)	SS, DA
X3.9.87RA/RB	RS20	R/T (rib)	SS, AP

SPECIALTY TIRES OF AMERICA INCORPORATED

- QUALIFIED PRODUCTION POINTS: ALL SPECIALTY TIRES OF AMERICA TIRE MANUFACTURING FACILITIES
- TEST QUALIFICATION REFERENCE: NATC Project No. 22158
- QUALIFICATION EXPIRATION DATE: 18 MAY, 2024

GOV. ITEM NO.	BRAND DESIGNATION	CLASS	CODES
SPECIALTY BRAND	DS:		
X3.10.1BA/BB	"SUPER TRANSPORT"	r/t (rib)	N, AP
X3.10.2BA/BB	"SUPER LUG"	d/a (lug)	N, DA, STC
X3.10.3BA/BB	"NON-DIRECTIONAL M&S"	d/a, m/s (lug)	N, DA, STC
X3.10.4BA/BB	"SUPERLUG SPECIAL"	d/a, m/s, o/o (lug)	N, DA, STC
X3.10.5BA/BB	"SUPERLUG EXPRESS"	d/a, m/s (lug)	N, DA, STC
X3.10.6BA/BB	"SUPER TRAXION"	d/a, m/s (lug)	N, DA, STC
X3.10.7BA/BB	"NON-DIRECTIONAL CROSS COUNTRY"	a/t, o/o (lug)	N, AP

GROUP 3, TRUCK & BUS: RETREAD TIRES BANDAG INCORPORATED

- QUALIFIED PRODUCTION POINTS: ALL BANDAG RETREAD FACILITIES THAT ARE CPQC CERTIFIED. ٠
- PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: NATC DOCUMENT NO. 22362-FR-REV 0 ٠
- QUALIFICATION EXPIRATION DATE: 26 MARCH, 2028 •

GOVERNMENT ITEM	
NO	

NO.	MODEL/BRAND DESIGNATION	CLASS		CODI
RANDAC PREC	URE RETREAD METHOD:			
Y3.15.1RA/RB	"ML 70"	d/a	SS, DA	
Y3.15.5RA/RB	"T 4100 W/MILEDGES""	t/o	SS, TO	
Y3.15.6RA/RB	"HISPEED"	t/o	SS, TO	
Y3.15.13RA/RB	"HIGHWAY"	r/t	SS, AP	
Y3.15.14RA/RB	"HIGHWAY W/MILEDGES"	r/t	SS, AP	
Y3.15.17RA/RB	"RIB LOGGER"	0/0	SS, DA	
Y3.15.18RA/RB	"D 4300"	d/a	SS, DA,STC	
Y3.15.19RA/RB	"D 4310 REGULAR"	d/a	SS, DA, STC	
Y3.15.20RA/RB	"D 4310 DEEP"	d/a	SS, DA	
Y3.15.21RA/RB	"LUG LOGGER REGULAR	0/0	SS, DA	
Y3.15.22RA/RB	"LUG LOGGER DEEP"	0/0	SS, DA	
Y3.15.23RA/RB	"LUG LOGGER EXTRA DEEP"	0/0	SS, DA, STC	
Y3.15.24RA/RB	"W H RIB"	0/0	SS, DA	
Y3.15.25RA/RB	"W H LUG"	0/0	SS, DA, STC	
Y3.15.3 1RA/RB	"COMMERCIAL TRACTION DEEP"	d/a	SS, DA	
15.15.5 114 114	"COMMERCIAL TRACTION DEEP	u/u	55, 511	
Y3.15.32RA/RB	W/MILEDGES"	d/a	SS, DA	
Y3.15.33RA/RB	"GRIPPER"	d/a	SS, DA, STC	
Y3.15.35RA/RB	"DRIVE TRAC"	d/a	SS, DA	
Y3.15.42RA/RB	"WIDE BASE RIB"	r/t	SS, AP	
Y3.15.43RA/RB	"WIDE BASE LUG"	0/0	SS, DA	
Y3.15.45RA/RB	"WBXL"	0/0	SS, DA	
Y3.15.46RA/RB	"GRADER"	0/0	SS, DA	
Y3.15.50BA/BB	"OMNI BUS"	r/t	SS, AP	
Y3.15.55RA/RB	"ECL TRAILER"	t/o	SS, TO	
Y3.15.56RA/RB	"ECL TRAILER W/MILEDGE"	t/o	SS, TO	
Y3.15.57RA/RB	"ECL M&S"	d/a	SS, DA, STC	
Y3.15.58RA/RB	"ECL SST"	t/o	SS, TO	
Y3.15.69RA/RB	"ECL SSD"	0/0	SS, DA	
Y3.15.60RA/RB	"ECL STM"	0/0	SS, TO	
Y3.15.61RA/RB	"DEEP RIB"	r/t	SS, AP	
Y3.15.62RA/RB	"DEEP DRIVE"	d/a	SS, DA, STC	
	"AGGRESSIVE TRACTION		~~, , ~	
Y3.15.63RA/RB	REPLACEMENT (ATR)"	d/a	SS, DA, STC	
Y3.15.64RA/RB	"FCR-D"	d/a	DA, SS	
Y3.15.65RA/RB	"FCR-T"	t/o	SS, TO	
Y3.15.66RA/RB	"FCR-R"	r/t	SS, AP	
Y3.15.67RA/RB	"WBD-A"	0/0	SS, AP	
Y3.15.68RA/RB	"WBSS"	0/0	DA, SS	

٠

<u>GROUP 3, TRUCK&BUS: RETREADS (continued)</u> THE GOODYEAR TIRE & RUBBER COMPANY: RETREAD DIVISION

- QUALIFIED PRODUCTION POINTS: ALL GOODYEAR RETREADERS THAT ARE CPQC CERTIFIED
- PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: NATC PROJECT: 22293
 - QUALIFICATION EXPIRATION DATE: 8 JANUARY, 2027

Gov't	Model/Brand		
Item No.	Designation	Class	Codes
GOODYEAR PRECURE	F RETREAD METHOD		
Y3.14.1RA/RB	ALL POSITION	R/T	AP
Y3.14.2RA/RB	Armor Max MSD	D/A, O/O	DA
Y3.14.3RA/RB	DWT	D/A, 0/0	DA,STC
Y3.14.4RA/RB	ENDURANCE LHD	D/O	DA, STC
Y3.14.5RA/RB	ENDURANCE RSA	R/T	AP
Y3.14.6RA/RB	ENDURANCE WHA	D/A	AP
Y3.14.7RA/RB	ENDURANCE WHD	D/A	DA
Y3.14.8RA/RB	Endurance WTD	RT	DA, STC
Y3.14.9RA/RB	FUELMAX LHT	T/O	TO
Y3.14.10RA/RB	G152A	R/T	AP
Y3.14.11RA/RB	G159	R/T	AP
Y3.14.12RA/RB	G159HS	R/T	TO
Y3.14.13RA/RB	G167	D/A	DA
Y3.14.14RA/RB	G177 M	0/0	DA, STC
Y3.14.15RA/RB	G182	D/A	DA
Y3.14.16RA/RB	G182A	D/A	DA
Y3.14.17RA/RB	G186 MSA	R/T	AP
Y3.14.18RA/RB	G278 MSD	D/A, O/O	DA
Y3.14.19RA/RB	G282 MSD	D/A	DA
Y3.14.20RA/RB	G286 MSA	R/T	AP
Y3.14.21RA/RB	G287	R/T	AP
Y3.14.22RA/RB	G289 WHA	R/T	AP
Y3.14.23RA/RB	G292 WHD	D/A, O/O	DA
Y3.14.24RA/RB	G296	R/T	AP
Y3.14.25RA/RB	G314	T/O	ТО
Y3.14.26RA/RB	G316 AT	T/O	TO
Y3.14.27RA/RB	G319	T/O	TO
Y3.14.28RA/RB	G338	R/T	DA
Y3.14.29RA/RB	G362	D/A	DA
Y3.14.30RA/RB	G362	R/T	DA
Y3.14.31RA/RB	G372	R/T	DA
Y3.14.32RA/RB	G392 SSD	D/O	DA
Y3.14.33RA/RB	G392A FuelMax	D/O	DA
Y3.14.34RA/RB	G394 SST	T/O	ТО
Y3.14.35RA/RB	G394A FuelMax	T/O	TO
Y3.14.36RA/RB	G505D	D/A	DA
Y3.14.37RA/RB	G558	D/A	DA, STC
Y3.14.38RA/RB	G572	D/O	DA, STC
Y3.14.39RA/RB	G619 RST	T/O	ТО
Y3.14.40RA/RB	G622 RSD	D/A	DA
Y3.14.41RA/RB	G622A	D/A	DA
Y3.14.42RA/RB	G647	R/T	AP
Y3.14.43RA/RB	G647A	R/T	AP
Y3.14.44RA/RB	G661	R/T	AP
Y3.14.45RA/RB	G677	0/0	DA, STC
Y3.14.46RA/RB	G686 MSA	R/T	AP
Y3.14.47RA/RB	G741 MSD	O/O/S	DA,STC
Y3.14.48RA/RB	LCT	R/T	ТО
Y3.14.49RA/RB	LUG LOGGER	D/A	DA, STC
Y3.14.50RA/RB	RDA	D/A	DA
Y3.14.51RA/RB	UNIGRIP 22	D/A	DA
Y3.14.52RA/RB	WIDE BASE RIB	R/T	AP
Y3.14.53RA/RB	WINTER TRAC	R/T	DA, STC
Y3.14.54RA/RB	WINTER TRAC 2	RT	DA, STC

GROUP 3, TRUCK & BUS: RETREADS (cont'd)

MICHELIN NORTH AMERICA, INC., RETREAD PROCESS

• QUALIFIED PRODUCTION POINTS: ALL MICHELIN RETREADERS THAT ARE CPQC CERTIFIED.

- TEST QUALIFICATION REFERENCE: NATC Project No. 22196
- QUALIFICATION EXPIRATION DATE: 30 OCTOBER, 2024

	• GOVER INVESTIGATION DIVIE. 50 OCTOBER, 2024			
GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	
<u>111.01100.</u>	DESIGNATION		CODES	
MICHELIN PREC	URE RETREAD METHOD:			
Y3.27.1RA/RB	XZE PRE-CURE	r/t	AP	
Y3.27.2R/RB	XDA2 23 AT	d/a	DA	
Y3.27.3RA/RB	XDA2 19 AT	d/a	DA	
Y3:27.4RA/RB	XT-1 AT	t/o	TO	
Y3:27.5RA/RB	XTA-1	t/o	TO	
Y3.27.6RA/RB	XZA	r/t	AP	
Y3.27/7RA/RB	XZE	r/t	AP	
Y3.27.8RA/RB	XM+S4	m/s	DA	
Y3.27.9RA/RB	XDC 22	d/a	DA	
Y3.27.10RA/RB	XDC 18	d/a	DA	
y3.27.11RA/RB	XDHT	d/a	DA	
Y3.27.12RA/RB	XD4	d/a	DA	
Y3.27.13RA/RB	XZY	0/0	AP	
Y3.27.14RA/RB	XDY	0/0	DA	
Y3.27.15RA/RB	XDY-1	0/0	DA	
Y3.27.16RA/RB	XTE2	t/o	TO	
Y3.27.17RA/RB	XZH	0/0	AP	
Y3.27.18RA/RB	XZE SA	t/o	TO	
Y3.27.19RA/RB	XDA HT	d/a	DA	
Y3.27.20RA/RB	XDE M&S	m/s	DA	
Y3.27.21RA/RB	XZY-3 XZU-2	o/o r/t	AP AP	
Y3.27.22RA/RB Y3.27.23RA/RB	XZU-2 XZU-S	0/0	AP	
Y3.27.24RA/RB	XLU-S X LINE ENERGY D	d/a	DA	
Y3.27.25RA/RB	X MULTI ENERGY D	d/a d/a	DA DA	
Y3.27.26RA/RB	XDN2	d/a d/a	DA DA	
Y3.27.27RA/RB	XDN2 XDS2	u/a m/s	DA	
Y3.27.28RA/RB	XDU-S	0/0	DA	
Y3.27.29RA/RB	XDV-S XDY-EX	0/0/s	DA	
Y3.27.30RA/RB	XTY-SA	t/o	TO	
Y3.27.31RA/RB	XZL	r/t	AP	
Y3.27.32RA/RB	X ONE XZU-S	d/a	DA	
Y3.27.33RA/RB	X ONE XZUS+	r/t	AP	
Y3.27.34RA/RB	X ONE LINE ENERGY D	d/a	DA	
Y3.27.35RA/RB	X ONE XDN2	d/a	DA	
Y3.27.36RA/RB	X ONE LINE ENERGY T	t/o	TO	
Y3.27.37RA/RB	X ONE MULTI ENERGY T		TO	
Y3.27.38RA/RB	XZE2	R/T (rib)	AP	
Y3.27.39RA/RB	X One XDA-HT	D/A (lug)	DA	
Y3.27.40RA/RB	MD XDN2	D/A (lug)	DA	
Y3.27.41RA/RB	XDS2+	D/A (lug)	DA	
Y3.27.42RA/RB	CD LL	D/A (lug)	DA	
Y3.27.43RA/RB	IT2	R/T (rib)	ТО	
Y3.27.44RA/RB	XTA	R/T (rib)	TO	

MICHELIN NORTH AMERICA, INC., RETREAD PROCESS • QUALIFIED PRODUCTION POINTS: ALL MICHELIN RETREADERS THAT ARE CPQC CERTIFIED.

- TEST QUALIFICATION REFERENCE: NATC Project No. 22196 QUALIFICATION EXPIRATION DATE: 30 OCTOBER, 2024 ٠
- ٠

MICHELIN MOLD-CURE RETREAD METHOD:

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
Y3.27.38RA/RB	XZE MOLD-CURE	r/t	AP
Y3.27.39RA/RB	XDA2 AT	d/a	DA
Y3.27.40RA/RB	XT-1 AT	t/o	ТО
Y3.27.41RA/RB	XDHT	d/a	DA
Y3.27.42RA/RB	XDN	s/t	STC
Y3.27.43RA/RB	XTA-1	t/o	то
Y3.27.44RA/RB	XZA	r/t	AP
Y3.27.45RA/RB	XZE	r/t	AP
Y3.27.46RA/RB	X LINE ENERGY D	d/a	DA
Y3.27.47RA/RB	X ONE XTA	t/o	ТО
Y3.27.48RA/RB	X ONE XTE	t/o	ТО
Y3.27.49RA/RB	X ONE LINE ENERGY D	d/a	DA
Y3.27.50RA/RB	XDS2	s/t	DA
Y3.27.51RA/RB	XDS	S/T	DA

MICHELIN NORTH AMERICA

SUBSIDIARY: OLIVER RETREADS

- QUALIFIED PRODUCTION POINTS: ALL OLIVER RETREAD TIRE MANUFACTURING FACILITIES THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: NATC Project No. 22196
- ♦ QUALIFICATION EXPIRATION DATE: 30 OCTOBER, 2024

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
OLIVER PRECUR	E RETREAD METHOD:		
Y3.13.1RA/RB	H.M.T. RADIAL	d/a	DA
Y3.13.2RA/RB	SUPER TRACTION DEEP	d/a	DA
Y3.13.3RA/RB	SIERRA	d/a	DA
Y3.13.4RA/RB	H.M.T. RADIAL DEEP	d/a	DA
Y3.13.5RA/RB	XDT	d/a	DA
Y3.13.6RA/RB	ORCO PD RIB	r/t	AP
Y3.13.7RA/RB	BLIZZARD TRACK	d/a	STC
Y3.13.8RA/RB	SPREAD AXLE	r/t	AP
Y3.13.9RA/RB	MAXI-RIB	r/t	AP
Y3.13.10RA/RB	MAXI-RIB HIGH SPEED	t/o	ТО
Y3.13.11RA/RB	WASTE HAULER LUG	0/0	DA
Y3.13.12RA/RB	D.L.L.	0/0	DA
Y3.13.13RA/RB	WASTE HAULER RIB	r/t	AP
Y3.13.14RA/RB	MEGAMILE	r/t	AP
Y3.13.15RA/RB	H.M.R.S.	r/t	AP
Y3.13.16RA/RB	MILEAGE RADIAL XD II	r/t	AP
Y3.13.17RA/RB	ORCO PD TRAILER	t/o	TO
Y3.13.18RA/RB	REGIONAL A/P	r/t	AP
Y3.13.19RA/RB	RUGGED SERVICE RIB	r/t	AP
Y3.13.20RA/RB	VANTAGE TRAILER II	t/o	TO
Y3.13.21RA/RB	ARCTIC DRIVE	s/t	STC
Y3.13.22RA/RB	DF TRACTION	d/a	DA
Y3.13.23RA/RB	MD II	d/a	DA
Y3.13.24RA/RB	ORCO PD TRACTION	d/a	DA
Y3.13.25RA/RB	PD DRIVE	d/a	DA
Y3.13.26RA/RB	PERFORMANCE DRIVE	d/a	DA
Y3.13.27RA/RB	POWER TRED	d/a	DA
Y3.13.28RA/RB	POWER TRED DEEP	d/a	DA
Y3.13.29RA/RB	PRDR	d/a	DA
Y3.13.30RA/RB	VANTAGE DRIVE	d/a	DA
Y3.13.31RA/RB	VANTAGE MAX DRIVE	d/a	DA
Y3.13.32RA/RB	APW-S	0/0	AP
Y3.13.33RA/RB	DPW	0/0	DA
Y3.13.34RA/RB	TIOGA II	0/0	DA
Y3.13.35RA/RB	XS-D	0/0	DA
Y3.13.36RA/RB	XS-T	0/0	DA
Y3.13.37RA/RB	MD WIDE BASE	d/a	DA
Y3.13.38RA/RB	WBXD	0/0	DA
Y3.13.39RA/RB	WBXD DEEP	0/0	DA
Y3.13.40RA/RB	WBR II	r/t	AP
Y3.13.41RA/RB	ULP DRIVE	d/a	DA
Y3.13.42RA/RB	ULP RIB	r/t	AP
Y3.13.43RA/RB	ULP TRAILER	t/o	TO
Y3.13.44RA/RB	ORCO LTD	D/A (lug)	DA
Y3.13.45RA/RB	ORCO HS TRAILER	R/T (rib)	TO
Y3.13.46RA/RB	ORCO PD TRAILER II	R/T (rib)	TO

SPECIAL APPLICATION TIRES: LIGHT TRUCK, OFF ROAD SEVERE APPLICATION (ORSA)

BRIDGESTONE/FIRESTONE (USA) INCORPORATED

TEST QUALIFICATION REFERENCE: NATC Project No. 22132				
MANUFACTURERS	GOVERNMENT	MODEL/BRAND	TREAD	
NAME	ITEM NO.	DESIGNATION	CLAS S	
BRIDGESTONE/FIRESTONE	X.ORSA. 2RA	"Firestone Destination M/T 2"	A/T/S	

APPENDIX A: CATL NUMBERS, ADDRESSES & TELEPHONE NUMBERS

CATL ADMINISTRATOR:

Address: Detroit Arsenal US Army-Ground Vehicle Systems Center Program Engineering and Quality Special Systems and Component Engineering-Tires FCDD-GVS-IEE 26890 Northmore St. Dearborn Heights, MI 48127

MANUFACTURERS, RETREADERS & BRAND OWNERS ASSIGNED CATL NUMBERS

- 2 BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED
- 3 COOPER TIRE & RUBBER COMPANY
- 4 DUNLOP TIRE CORPORATION
- 5 CONTINENTAL TIRE NORTH AMERICA
- 6 THE GOODYEAR TIRE & RUBBER COMPANY
- 8 KELLY-SPRINGFIELD TIRE COMPANY
- 9 MICHELIN NORTH AMERICA
- 10 SPECIALTY TIRE OF AMERICA INCORPORATED
- 12 YOKOHAMA TIRE CORPORATION
- 13 OLIVER RUBBER COMPANY
- 14 THE GOODYEAR TIRE & RUBBER COMPANY RETREAD DIVISION
- 15 BANDAG INCORPORATED
- 22 TBC CORPORATION
- 26 BANDAMATIC SYSTEM INCORPORATED
- 27 MICHELIN NORTH AMERICA: RETREADS
- 29-MASTERCRAFT
- 31-MICKEY THOMPSON
- 32-DICK CEPEK

APPENDIX A (continued) <u>ADDRESSES & TELEPHONE NUMBERS</u> MANUFACTURERS, RETREADERS & BRAND OWNERS

NANOFACTURERS, RET	F
BANDAG INCORPORATED	THE GOODYEAR TIRE & RUBBER COMPANY
Bridgestone Americas Tire Operations, LLC	1144 East Market Street
Bandag Retread	Akron, OH 44316-0001 CATL Inquiries: (330) 796-2884
CATL Inquiries: (615) 937-3200	CATE inquiries: (550) 790-2884
BANDAMATIC SYSTEM INCORPORATED	THE GOODYEAR TIRE & RUBBER
1719 Meyer Road Houston, TX 77073	COMPANY: RETREAD DIVISION
CATL Inquiries: (281) 821-6009	1144 East Market Street
	Akron, OH 44316-0001
	CATL Inquiries: (330) 796-2884
BRIDGESTONE/FIRESTONE (U.S.A.) INC.	KELLY-SPRINGFIELD TIRE COMPANY
Bridgestone Americas Tire Operations, LLC	12501 Willowbrook Road SE
200 4th Avenue South	Cumberland, MD 21502-2599
Nashville, TN 37201	CATL Inquiries: (301) 777-6237
	1
CATL Inquiries: (615) 937-1000	
CONTINENTAL TIRE NORTH AMERICA	LARAMIE DIVISION OF TREAD WAYS CORP.
1830 MacMillan Park Drive	(Note – Tires manufactured by Kelly-Springfield Tire Co.)
Fort Mill, SC 29707	1120 Welsh Road
CATL Insuring (704) 592 9990	Suite 120
CATL Inquiries: (704) 583-8889	North Wales, PA 19454 CATL Inquiries: (610) 275-6480
	CATE inquiries. (010) 275-0480
COOPER TIRE & RUBBER COMPANY	MICHELIN NORTH AMERICA
701 Lima Ave. P.O. Box 550	(Includes Uniroyal and Goodrich brands)
Findlay, Ohio 45840-2315 Findlay, Ohio 45839-0550	Government Sales Government Sales
CATL Inquiries: (419) 423-1321	One Parkway South P.O. Box 19001
	Greenville, SC 29615-5022 Greenville, SC 29602-9001
	CATL Inquiries: -Passenger Car & Light Truck Tires: 864-458-4665 -
	Truck/Bus and all Military Tactical Tires: 864-458-5069
VOROUANA TIDE CODBODATION	
YOKOHAMA TIRE CORPORATION	OLIVER RUBBER COMPANY
601 S. Acacia Avenue Fullerton, CA 92631	A subsidiary of:
CATL Inquiries: (800) 423-4544	Michelin North America
Ciri E inquines. (000) 125 15 11	One Parkway South P.O. Box 19001
	Greenville, SC 29615-5022 Greenville, SC 29602-9001 CATL Inquiries: 864-458-5069
UNIVERSAL COOPERATIVES, INC.	
(Note – Tires manufactured by Kelly-Springfield Tire Co.)	
CATL Inquiries: (651) 239-1157	
DUNLOP TIRE CORPORATION	DELIADIE TIDE CO. CDADTAN TIDES
	RELIABLE TIRE CO., SPARTAN TIRES
10 Sheridan DriveP.O. Box 1109Tonawanda, N.Y. 14150-7777Buffalo, N.Y. 14240	(Note – Tires manufactured by Kelly-Springfield Tire Co.) 1115 Chestnut St.,
CATL Inquiries: (716) 879-8405	Camden, NJ 08103
	CATL Inquiries: (609) 365-6500
	1 /
TBC CORPORATION	SPECIALTY TIRES OF AMERICA INC.
(Note - Tires manufactured by Kelly-Springfield Tire Co.	1600 Washington St.
4770 Hickory Hill Road,	P.O. Box 749
Memphis, TN 38141	Indiana, PA 1570 1-0749
CATL Inquiries: (901) 363-8030	CATL Inquiries: (724) 349-9010
GANIN/REYNOLDS TIRE CO.	SUMMIT TIRE & BATTERY CORP.
(Note – Tires manufactured by Kelly-Springfield Tire Co.)	(Note- Tires manufactured by Kelly-Springfield Tire Co.)
CATL Inquiries: (718) 633-6524	CATL Inquiries: (813) 654-0467
1	T

CATL-1922, SEPTEMBER 2021